

# SOLUTION BASED HAND PROTECTION







One Program. Three Solutions.



MANUFACTURERS OF ATLAS® AND N-DEX® HAND PROTECTION



- Easy to use, online resource
- Helps customer determine which glove to use in specific chemicals
- Helps to reduce possibility of injury
- Extends wear resulting in savings

# Cut Resistant Glove Directory

- Easy to use, online resource
- Helps customer select proper cut resistant glove
- Helps to reduce cut injuries
- Explains differences in cut levels: ANSI vs EN



### SENTINEL

- Helps eliminate workplace hazards
- Application specific assessment of the workplace
- Documented cost savings
- Consolidation
- SKU Reduction
- Assist in glove controls
- Help meet OSHA Requirements: 29CFR 1910.138



# **DISPOSABLE**

N-DEX® Original Lightly Powdered Industrial Grade  Made in the USA TAA Compliant	Fastenal Item No. 0600322 0600323 0600324 0600325 1002037	5BG Item No. 7005S 7005M 7005L 7005XL 7005XXL	Size  Small  Medium  Large  X-Large  XX-Large	Features  • 4 mil, 9.5" long  • 100% Nitrile  • Low-modulus formulation  • Smooth grip  • Rolled cuff  • 100 gloves per disp.	Applications  · Manufacturing · Light-duty clean up & maintenance · Intricate parts handling · Laboratory analysis · Technical work · Automotive
N-DEX® Original Powder-Free Industrial Grade  Made in the USA TAA Compliant	1001980 1001981 1001982 1001983	7005PFS 7005PFM 7005PFL 7005PFXL 7005PFXXL	Small Medium Large X-Large XX-Large	· 4 mil, 9.5" long · 100% Nitrile · Low-modulus formulation · Smooth grip · Rolled cuff · 100 gloves per disp.	· Manufacturing · Light-duty clean up & maintenance · Intricate parts handling · Laboratory analysis · Technical work · Automotive
N-DEX® Plus Lightly Powdered Industrial Grade  Made in the USA TAA Compliant	0600334 0600335 0600336 0600337	8005\$ 8005M 8005L 8005XL	Small Medium Large X-Large	· 8 mil, 9.5" long · 100% Nitrile · Low modulus formulation · Smooth grip · Rolled cuff · 50 gloves per disp.	· Manufacturing · Light-duty clean up & maintenance · Intricate parts handling · Laboratory analysis · Technical work · Automotive
N-DEX® Original Powder-Free Class 1 Medical Device Made in the USA TAA Compliant	0600330 0600331 0600332 0600333	6005PFXS 6005PFS 6005PFM 6005PFL 6005PFXL	X-Small Small Medium Large X-Large	<ul> <li>4 mil, 9.5" long</li> <li>100% Nitrile</li> <li>Low-modulus formulation</li> <li>Smooth grip</li> <li>Rolled cuff</li> <li>100 gloves per disp.</li> </ul>	Patient exams     Handling blood- borne pathogens     Clinical labs and critical environments
N-DEX® Ultimate Powder-Free Class 1 Medical Device  Made in the USA TAA Compliant	0600338 0600339 0600340 0600341	9905PFS 9905PFM 9905PFL 9905PFXL	Small Medium Large X-Large	<ul> <li>6 mil, 11" long</li> <li>100% Nitrile</li> <li>Low-modulus formulation</li> <li>Smooth grip</li> <li>Rolled cuff</li> <li>50 gloves per disp.</li> </ul>	Patient exams     Handling blood- borne pathogens     Clinical labs and critical environments

## **DISPOSABLE**

N-DEX Free® Powder-Free Class 1 Medical Device  Made in the USA TAA Compliant	Fastenal Item No. 1003704 1005577 1005578 1005579 1005580	SBG Item No. 7705PFTXS 7705PFTX 7705PFTM 7705PFTL 7705PFTXL	Size  X-Small  Small  Medium  Large  X-Large	Features  • 4 mil, 9.5" long  • 100% Nitrile  • Patented accelerator-free nitrile formulation • Textured Fingertips • Non-Allergenic • 100 gloves per disp.	Applications  Patient exams Handling bloodborne pathogens Clinical labs & critical environments
N-DEX® NightHawk® Powder-Free Industrial Grade  Made in the USA TAA Compliant	1009090 1009091 1009092 1009093	7700PFTS 7700PFTM 7700PFTL 7700PFTXL	Small Medium Large X-Large	· 4 mil, 9.5" long · Patented 100% accelerator-free nitrile formulation · Textured fingertips · 50 gloves per disp. · Non-Allergenic	· Manufacturing · Light-duty clean up & maintenance · Intricate parts handling · Laboratory analysis · Technical work · Automotive
<b>BEST® Nitrile</b> Powder-Free, 4 mil Economy Grade	1000501 1000502 1000503 1000504 1017995	7500PFS 7500PFM 7500PFL 7500PFXL 7500PFXXL	Small Medium Large X-Large XX-Large	· 4 mil, 9.5" long · 100% Nitrile · Textured grip · Rolled cuff · 100 gloves per disp.	· Manufacturing · Light-duty clean up & maintenance · Intricate parts handling · Laboratory analysis · Technical work · Automotive
BEST® Nitrile Powder-Free, 8 mil Economy Grade  Made in the USA TAA Compliant	1008796 1008797 1008798 1008799	8500PFS 8500PFM 8500PFL 8500PFXL	Small Medium Large X-Large	· 8 mil, 9.5" long · 100% Nitrile · Smooth grip · Rolled cuff · 50 gloves per disp.	· Manufacturing · Light-duty clean up & maintenance · Intricate parts handling · Laboratory analysis · Technical work · Automotive
Clean-DEX® Ultimate Clean Processed Industrial Grade	1012105 1012106 1012107 1012108 1012109	C9905PFXS C9905PFS C9905PFM C9905PFL C9905PFXL	X-Small Small Medium Large X-Large	<ul> <li>6 mil, 12" long</li> <li>100% Nitrile</li> <li>Low-modulus formulation</li> <li>Textured Fingertips</li> <li>100 gloves per polybag</li> </ul>	· Electronics · Clean & critical environments · Intricate parts handling · Laboratory analysis · Technical work

· Automotive

# **DISPOSABLE**

	Fastenal Item No.	SBG Item No.	Size	Features	Applications
<b>DermaThin®</b> Lightly Powdered Industrial Grade	1007982 1007981 1007980	1005S 1005M 1005L	Small Medium Large	<ul> <li>5 mil, 9.5" long</li> <li>Unique stretch-feel rubber forumlation</li> <li>Smooth grip</li> <li>Rolled cuff</li> <li>100 gloves per disp.</li> </ul>	· Laboratoies · Assembly · Automotive · Clean up
<b>BEST® Latex</b> Powder-Free Class 1 Medical Device	1002401 1002402 1002403 1002404	5005PFS 5005PFM 5005PFL 5005PFXL	Small Medium Large X-Large	<ul> <li>5 mil, 9.5" long</li> <li>Latex</li> <li>Textured grip</li> <li>Rolled cuff</li> <li>100 gloves per disp.</li> </ul>	Patient exams     Handling blood- borne pathogens     Clinical labs and critical environments
Real Feel® Lightly Powdered Economy Grade	1007994 1007989 1007988 1007995	2005S-06 2005M-07 2005L-08 2005XL-09	Small Medium Large X-Large	<ul> <li>5 mil, 9.5" long</li> <li>Unique stretch-feel vinyl formulation</li> <li>Smooth grip</li> <li>Rolled cuff</li> <li>100 gloves per disp.</li> </ul>	· Manufacturing · Food Prep · Janitorial · Light-duty maint.
Real Feel® Powder-Free Economy Grade	1007992 1007991 1007990 1007993	2005PFS-06 2005PFM-07 2005PFL-08 2005PFXL-09	Small Medium Large X-Large	<ul> <li>5 mil, 9.5" long</li> <li>Unique stretch-feel vinyl formulation</li> <li>Smooth grip</li> <li>Rolled cuff</li> <li>100 gloves per disp.</li> </ul>	· Manufacturing · Food Prep · Janitorial · Light-duty maint.
Real Feel® Powder-Free Class 1 Medical Device	1007998 1007997 1007996 1007999	2205SPFS-06 2205SPFM-07 2205SPFL-08 2205SPFXL-09	Small Medium Large X-Large	<ul> <li>5 mil, 9.5" long</li> <li>Unique stretch-feel vinyl formulation</li> <li>Smooth grip</li> <li>Rolled cuff</li> <li>100 gloves per disp.</li> </ul>	· Patient exams · Handling blood- borne pathogens · Clinical labs and critical environments · Manufacturing · Food Prep · Janitorial · Light-duty maint.

	Fastenal Item No.	SBG Item No.	Size	Features	Applications
BEST Master® Natural Rubber Latex Flock Lined  TAA Compliant	0600282 0600283 0600284 0600285	700S-07 700M-08 700L-09 700XL-10	Small Medium Large X-Large	· 21 mil, 12" long · Natural rubber · Bisque textured palm	<ul> <li>Manufacturing</li> <li>Electronics</li> <li>Food processing</li> <li>Aircraft assembly</li> <li>Light duty maint.</li> <li>&amp; clean up</li> </ul>
BEST Master® Natural Rubber Latex Unlined  TAA Compliant	0600290 0600291 0600292 0600293	709S-07 709M-08 709L-09 709XL-10	Small Medium Large X-Large	<ul> <li>18 mil, 12" long</li> <li>Natural rubber</li> <li>Bisque textured palm</li> </ul>	<ul> <li>Manufacturing</li> <li>Electronics</li> <li>Food processing</li> <li>Aircraft assembly</li> <li>Light duty maint.</li> <li>&amp; clean up</li> </ul>
<b>Value Master</b> <sup>TM</sup> Natural Rubber Latex Flock Lined - Yellow	1002867 1002868 1002869 1002870	VMS-07 VMM-08 VML-09 VMXL-10	Small Medium Large X-Large	· 18 mil, 12" long · Natural rubber · Tractor-Tread Grip · Rolled cuff	<ul> <li>Manufacturing</li> <li>Electronics</li> <li>Food processing</li> <li>Aircraft assembly</li> <li>Light duty maint.</li> <li>&amp; clean up</li> </ul>
<b>Value Master</b> <sup>TM</sup> Natural Rubber Latex Unlined - Amber	1002875 1002876 1002877 1002878	VMUS-07 VMUM-08 VMUL-09 VMUXL-10	Small Medium Large X-Large	<ul> <li>18 mil, 12" long</li> <li>Chlorinated</li> <li>Natural rubber</li> <li>Tractor-Tread Grip</li> <li>Rolled cuff</li> </ul>	<ul> <li>Manufacturing</li> <li>Electronics</li> <li>Food processing</li> <li>Aircraft assembly</li> <li>Light duty maint.</li> <li>&amp; clean up</li> </ul>
Value Master <sup>TM</sup> Natural Rubber Latex	1002879 1002880 1002881	VMUPS-07 VMUPM-08 VMUPL-09	Small Medium	· 18 mil, 12" long · Chlorinated · Rolled cuff	· Crime scene investigation

Large

X-Large

· Rolled cuff

· Natural rubber

· Tractor-Tread Grip

· Laboratories

· Food handling



Unlined - Blue

1002881

1002882

VMUPL-09

VMUPXL-10

Black Knight® PVC coated Cotton jersey liner Smooth grip  TAA Compliant	Fastenal Item No. 0600264 0600265 0600266	<b>SBG Item No.</b> 7710-10 7712-10 7714-10	Size Large Large Large	Features 10" Gauntlet cuff 12" Gauntlet cuff 14" Gauntlet cuff	Applications  Refineries Oily applications Machining Construction Petrochemicals
Black Knight® PVC coated Cotton jersey liner Rough grip  TAA Compliant	0600267 0600268 0600269 0600270	7703R-10 7710R-10 7712R-10 7714R-10	Large Large Large Large	Knit wrist 10" Gauntlet cuff 12" Gauntlet cuff 14" Gauntlet cuff	Refineries Oily applications Machining Construction Petrochemicals
Hustler <sup>TM</sup> PVC Coated Rough Grip Nitrile Reinforced Cotton Interlock Liner  Made in the USA TAA Compliant	1008023  1093412	725R-10 724R-10 728R-10	Large Large Large	12" Gauntlet cuff 14" Gauntlet cuff Elbow length	<ul> <li>Refineries</li> <li>Oily applications</li> <li>Machining</li> <li>Construction</li> <li>Petrochemicals</li> </ul>
ATLAS® 460 PVC Coated Seamless Yellow Acrylic Liner	1049976 1049977 1049978	460M-08 460L-09 460XL-10	Medium Large X-Large	· 11.8" long · Double dipped PVC · Insulated acrylic liner · Flexes at low temps · Rough grip	· Manufacturing · Commericial fishing · Cold storage · De-icing · Fuel transport · Agriculture · Construction
Insulated Super Flex <sup>TM</sup> Fully-Coated Cotton Jersey Foam Insulation  Made in the USA TAA Compliant	1002701 1002702	73-10 75-10	Large Large	Knit wrist with triple layered insulation  12" reinforced gaunlet with triple layered insulation	· Manufacturing · Cold storage · Construction · Utilities · Medium-duty maintenance
	1002703	76-10	Large	Reinforced safety cuff with triple layered insulation	in the state of th

insulation

	Fastenal Item No.	SBG Item No.	Size	Features	Applications
ATLAS® 620 Fully-Coated Double-Dipped PVC	1093363 1093362 1093361 1093364 1093365	620S-07 620M-08 620L-09 620XL-10 620XXL-11	Small Medium Large X-Large XX-Large	· 12" long · Double-dipped PVC · Seamless knit liner · Rough grip	<ul> <li>Manufacturing</li> <li>Commercial fishing</li> <li>Cold storage</li> <li>De-icing</li> <li>Fuel transport</li> <li>Agriculture</li> <li>Construction</li> <li>Masonry</li> </ul>
ATLAS® 660 Fully-Coated Triple-Dipped PVC	1093377 1093376 1093375 1093378 1093379	660S-07 660M-08 660L-09 660XL-10 660XXL-11	Small Medium Large X-Large XX-Large	<ul> <li>12" long</li> <li>Triple-dipped PVC</li> <li>Oil resistant</li> <li>Liquid-proof</li> <li>Seamless knit liner</li> <li>Rough grip</li> </ul>	<ul> <li>Manufacturing</li> <li>Petrochemicals</li> <li>Maintenance</li> <li>Construction</li> <li>Masonry</li> <li>Chemical handling</li> </ul>
Chloroflex <sup>™</sup> Flock-lined Neoprene	1093404 1093403 1093402 1093405	723S-07 723M-08 723L-09 723XL-10	Small Medium Large X-Large	· 24 mil, 13" long · Neoprene · Tractor-tread grip	<ul> <li>Manufacturing</li> <li>Petrochemicals</li> <li>Maintenance</li> <li>Degreasing</li> <li>Acids &amp; Caustics</li> <li>Chemical handling</li> </ul>
BEST® Neoprene	1002653	5122-10*	Large	Knit Wrist	· Manufacturing
Neoprene Cotton liner	1002654	6780-10*	Large	12" Gauntlet cuff	· Petrochemicals · Chemical handling
Sanitized® Smooth Grip	1002655	6784-10*	Large	14" Gauntlet cuff	· Acids & Caustics · Maintenance
*Made in the USA	1008020	6797-10 <b>*</b>	Large	Elbow Length Gauntlet	· Degreasing · Alcohols
TAA Compliant	1008016	6731-10	Large	Shoulder Length	· Solvents 6780 6797 6731
Neo Grab™	1008018	6780R-10	Large	12" Gauntlet cuff	· Manufacturing
Neoprene Coated Cotton Liner	1002656	6784R-10	Large	14" Gauntlet cuff	· Refining · Petrochemicals
Sanitized® Wrinkle Grip	1008021	6797R-10	Large	Elbow Length Gauntlet	· Metal fabrication · Plating



Made in the USA TAA Compliant

	Item No.	Item No.	Size	Features	Applications
Insulated Neo Grab <sup>TM</sup> Triple Layered Foam Insulation  Made in the USA TAA Compliant	1008019	6781R-10	Large	· 12" Gauntlet cuff · Fully coated cotton jersey with triple layered foam insulation · Wrinkle grip	· Manufacturing · Refining · Petrochemicals · Metal fabrication · Plating · Insulated against heat & cold
<b>BEST® Chem Master</b> <sup>TM</sup> Neoprene over Natural Rubber Cotton-flock liner TAA Compliant	1002657 1002658 1002659 1002660	CHMS-07 CHMM-08 CHML-09 CHMXL-10	Small Medium Large X-Large	· 26 mil, 12" long · Tractor-Tread grip · Wear indicator over dip	· Manufacturing · Aircraft assembly · Automotive · Chemical plants · Pesticides
<b>NSK 24</b> <sup>TM</sup> Nitrile-Coated Cotton Interlock Liner	1012074 1012075 1012076 1012077	NSK24-08 NSK24-09 NSK24-10 NSK24-11	Small Medium Large X-Large	· 14" long · 100% Nitrile · Cotton interlock liner · Rough grip	Petrochemicals Chem. handling Sewage treatment Oily/Greasy applications Fuel handling Light to medium clean ups
Nitri-Master® 100% Nitrile Tractor-Tread Grip TAA Compliant	1008038 1008039 1008040 1008041 1008042	NM11-07 NM11-08 NM11-09 NM11-10 NM11-11	Small Medium Large X-Large XX-Large	· 11 mil, 13" long · Unlined	<ul> <li>Manufacturing</li> <li>Chem. processing</li> <li>Petrochemicals</li> <li>Food processing</li> <li>Aerospace</li> <li>Automotive</li> </ul>
	1093553 1093554 1093555 1093556 1093557	NM15-07 NM15-08 NM15-09 NM15-10 NM15-11	Small Medium Large X-Large XX-Large	· 15 mil, 13" long · Unlined	degreasing & assembly Painting Machine application using cutting oils
	1093558 1093559 1093560 1093561 1093562	NM15FL-07 NM15FL-08 NM15FL-09 NM15FL-10 NM15FL-11	Small Medium Large X-Large XX-Large	· 15 mil, 13" long · Flock-lined	

Fastenal SBG

### CHEMICAL PROTECTION Body Guard®

**Applications** · Manufacturing · Chem. processing · Petrochemicals · Food processing · Aerospace

& assembly · Painting

· Automotive degreasing

· Machine application using cutting oils

Body-Guard® 100% Nitrile Unlined TAA Compliant	Fastenal Item No. 0600273 0600274 0600275	SBG Item No. BG-717-08 BG-717-09 BG-717-10	<b>Size</b> Medium Large X-Large	Features  · 11 mil, 13" long · 100% Nitrile · Chlorinated
Body-Guard® 100% Nitrile Unlined TAA Compliant	0600276 0600277 0600278	BG-727-08 BG-727-09 BG-727-10	Medium Large X-Large	· 15 mil, 13" long · 100% Nitrile · Chlorinated · Bisque grip
Body-Guard® 100% Nitrile Flock-lined TAA Compliant	0600279 0600280 0600281 1002038	BG-730-08 BG-730-09 BG-730-10 BG-730-11	Medium Large X-Large XX-Large	· 15 mil, 13" long · 100% Nitrile · Chlorinated · Bisque grip
Body-Guard® 100% Nitrile Unlined TAA Compliant	1002661 1002662 1002663	BG-737-09 BG-737-10 BG-737-11	Large X-Large XX-Large	· 22 mil, 15" long · 100% Nitrile · Chlorinated · Bisque grip
Body-Guard® 100% Nitrile Unlined TAA Compliant	1006468 1002664	BG-747-09 BG-747-10	Large X-Large	· 22 mil, 19" long · 100% Nitrile · Chlorinated · Bisque grip



	Fastenal Item No.	SBG Item No.	Size	Features	Applications
Cutlass® Palm-Coated Natural Rubber TAA Compliant	0600304	3910-10	Large	<ul> <li>Nitrile over dip</li> <li>Cotton jersey liner</li> <li>Safety cuff</li> <li>Wrinkle grip</li> </ul>	· Glass handling · Bottling · Lumber · Masonry · Maintenance
<b>Skinny Dip®</b> Flat-Dipped Natural Rubber	1008000 1002922 1002923 1002924 1002925	3811-06 3811-07 3811-08 3811-09 3811-10	X-Small Small Medium Large X-Large	<ul> <li>Seamless cotton liner</li> <li>Ergo-design for maximum comfort</li> <li>Color coded cuff indicating size</li> <li>Wrinkle grip</li> </ul>	· Construction · Material handling · Assembly · Maintencance · Utilities
Original Nitty Gritty® Fully-Coated Natural Rubber Cotton-Poly Flannel Liner Sanitized®  TAA Compliant	1002652	67NFW-10	Large	· 14" gauntlet · Wrinkle grip	· Glass handling · Bottling · Lumber · Masonry · Maintenance
Original Nitty Gritty® Palm-Coated Natural Rubber	1002651	63PNFW-10	Large	Knit wrist with wrinkle grip	· Glass handling · Bottling · Lumber
Cotton-poly Flannel Liner Sanitized®	1002648	66NFW-10	Large	Reinforced safety cuff with wrinkle grip	· Masonry · Maintenance
TAA Compliant	1002650	66NF-10	Large	Reinforced safety cuff with smooth grip	63PNFW
ATLAS Fit® 300	1017288	300S-07	Small Medium	· 10-Gauge seamless	· Construction

Large

Medium

X-Large

XX-Large

· Ergonomic shape · Excellent wet & dry

grip
· Wrinkle grip
· Machine washable

knit liner



Natural Rubber Palm

Coating

1017289

1017290

1017291

1047512

300M-08

300L-09

300XL-10

300XXL-11

· Maintenance

· Assembly

· Utilities

· Material handling

# FASTENAL® FAST Solutions<sup>®</sup>

Fastenal Automated Supply Technology

#### N-DEX® Plus

Lightly powdered 100% nitrile 8 mil, 9.5" long



Fastenal	SBG				
Item No.	Item No.	Size			
1110600334	8005S-V	Small			
1110600335	8005M-V	Medium			
1110600336	8005L-V	Large			
1110600337	8005XL-V	X-Larae			

#### N-DEX® Plus

Powder-free 100% nitrile 8 mil, 9.5" long



Fastenal	SBG		
Item No.	Item No.	Size	
111008796	8005PFS-V	Small	
111008797	8005PFM-V	Medium	
111008798	8005PFL-V	Large	
111008799	8005PFXL-V	X-Large	

### **Body Guard® 71**

**SBG** 

Item No.

7005S-V

7005M-V

7005L-V

7005XL-V

7005XXL-V

**N-DEX®** Original

Lightly powdered 100% nitrile 4 mil, 9.5" long

**Fastenal** 

Item No.

111600322

111600323

111600324

111600325

111002037

100% nitrile Unlined 11mil, 13" long



Made in the USA TAA Compliant

Size

Small

Large

Medium

X-Large

XX-Large

Fastenal	SBG	
Item No.	Item No.	Size
110600273	BG-717-08-V	Medium
110600274	BG-717-09-V	Large
110600275	BG-717-10-V	X-Large

### **Body Guard® 747**

100% nitrile Unlined 22mil, 19" long



Fastenal	SBG	
Item No.	Item No.	Size
111006468	BG-747-09-V	Large
111002664	BG-747-10-V	X-Large
111002665	BG-747-11-V	XX-Large

### BEST® Chem Master<sup>1</sup>

Neoprene dipped over natural rubber Cotton-flocked lining TAA Compliant 26mil, 12" long

Fastenal	SBG	100	
Item No.	Item No.	Size	
111002657	CHMS-07-V	Small	
111002658	CHMM-08-V	Medium	
111002659	CHML-09-V	Large	
111002660	CHMXL-10-V	X-Larae	

### **NSK 24<sup>tm</sup>**

Nitrile coated Cotton interlock liner 14" long



Fastenal	SBG	港定
Item No.	Item No.	Size
111012075	NSK24-09-V	Medium
111012076	NSK24-10-V	Large
111012077	NSK24-11-V	X-Large

### ATLAS® ReGrip 330

Natural rubber palm-coated 10-Gauge seamless liner Reinforced thumb crotch



SBG	
Item No.	Size
330S-07-V	Small
330M-08-V	Medium
330L-09-V	Large
330XL-10-V	X-Large
	Item No. 330S-07-V 330M-08-V 330L-09-V

#### ATLAS Fit® 350

Nitrile palm-coated 10-Gauge seamless liner



**Fastenal SBG** Size Item No. Item No. 1017293V01 350M-08-V Medium 1017294V01 350L-09-V Large

#### SHOWA® Foam Grip 377

Full nitrile undercoating with foam palm coating 13-Gauge knit liner



**Fastenal** SBG Item No. Item No. Size 1049997V01 377L-08-V Large 1049998V01 377XL-09-V X-Large

#### **KPG® 960**

Breathable PVC coating Seamless cotton liner **Textured Grip** 



Fastenal	SBG			
Item No.	Item No.	Size		
110600306	960S-08-V	Small		
110600307	960M-09-V	Medium		
110600308	960L-10-V	Large		

### Fuzzy Duck® 962

Breathable PVC coating Cotton jersey liner **Textured Grip** 



Fastenal	SBG	
Item No.	Item No.	Size
111003116	962S-08-V	Small
111003117	962M-09-V	Medium
111003118	962L-10-V	Large
111003119	962XL-11-V	X-Larae

#### SHOWA® 541

HPPE cut-resistant liner Polyurethane palm-coated **ANSI CUT-LEVEL 2\*** 



SBG Item No.	Size
541-S-V	Small
541-M-V	Medium
541-L-V	Large
541-XL-V	X-Large
541-XXL-V	XX-Large
	Item No. 541-S-V 541-M-V 541-L-V 541-XL-V

### **N-DEX®** Original

Powder-free 100% nitrile 4 mil, 9.5" long



Made in the USA TAA Compliant

Fastenal	SBG		
Item No.	Item No.	Size	
111001980	7005PFS-V	Small	
111001981	7005PFM-V	Medium	
111001982	7005PFL-V	Large	
111001983	7005PFXL-V	X-Large	

#### N-DEX® NightHawk® Powder-free 100% nitrile 4 mil, 9.5" long Made in the USA

	TAA Compliant	
Fastenal	SBG	
Item No.	Item No.	Size
111009090	7700PFTS-V	Small
111009091	7700PFTM-V	Medium
111009092	7700PFTL-V	Large
111009093	7700PFTXL-V	X-Large

### **N-DEX Free®** Powder-free 100% nitrile

Accelerator-free 4 mil, 9.5" long



Fastenal	SBG	
Item No.	Item No.	Size
11005577	7705PFTS-V	Small
11005578	7705PFTM-V	Medium
11005579	7705PFTL-V	Large
11005580	7705PFTXL-V	X-Large

### **Body Guard® 727**

100% nitrile Unlined 11mil, 13" long

TAA Compliant

Fastenal	SBG	
Item No.	Item No.	Size
110600276	BG-727-08-V	Medium
110600277	BG-727-09-V	Large
110600278	BG-727-10-V	X-Large

### **Body Guard® 730**

100% nitrile Flock-lined 15mil, 13" long

TAA Compliant

Fastenal	SBG	
Item No.	Item No.	Size
110600279	BG-730-08-V	Medium
110600280	BG-730-09-V	Large
110600281	BG-730-10-V	X-Large
111002038	BG-730-11-V	XX-Large

### **Body Guard® 737**

100% nitrile Unlined 22mil, 15" long

TAA Compliant

Fastenal	SBG			
Item No.	Item No.	Size		
111002661	BG-737-09-V	Large		
111002662	BG-737-10-V	X-Large		
111002663	BG-737-11-V	XX-Large		

#### ATLAS® 720

Fully-coated nitrile




Fastenal	SBG	
Item No.	Item No.	Size
1093398V01	720M-08-V	Medium
1093397V01	720L-09-V	Large
1093400V01	720XL-10-V	X-Large
1093401V01	720XXL-11-V	XX-Large

### Value Master™

Unlined natural rubber Chlorinated 18mil, 12" long

1002877V01 VMUL-09-V

1002878V01 VMUXL-10-V



Large

X-Large

### ATLAS Fit® 300

Natural rubber palm-coated 10-Gauge seamless liner



Fastenal	SBG	
Item No.	Item No.	Size
111017288	300S-07-V	Small
111017289	300M-08-V	Medium
111017290	300L-09-V	Large
111017291	300XL-10-V	X-Large

### **ATLAS® Assembly** Grip 370B

Nitrile palm coating Lint free seamless knit liner Excellent dry grip

	,		
Fastenal		SBG	
	Item No.	Item No.	Size
	1093293V01	370BS-06-V	Small
	1093292V01	370BM-07-V	Medium
	1093291V01	370BL-08-V	Large
	1093294V01	370BXL-09-V	X-Large
	1021428V01	370BXXL-10-V	XX-Large

#### Nitri-Flex® Lite

Flat-dipped nitrile Seamless nylon liner Ergonomic design



Fastenal	SBG	
Item No.	Item No.	Size
111001972	4500-07-V	Small
111001973	4500-08-V	Medium
111001974	4500-09-V	Large
111001975	4500-10-V	X-Large

#### Zorb-IT®

Sponge nitrile palm-coated Seamless nylon liner Ergonomic design



_	TAA Compliant			
Fastenal	SBG			
Item No.	Item No.	Size		
111008007	4550-06-V	X-Small		
111008008	4550-07-V	Small		
111008009	4550-08-V	Medium		
111008010	4550-09-V	Large		
111008011	4550-10-V	X-Large		

### **Zorb-IT® Ultimate**

Sponge nitrile coating Kevlar® cut-resistant liner **ANSI CUT-LEVEL 3\*** 



		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ompilam
Fastenal		SBG	
	Item No.	Item No.	Size
	111013528	4560-07-V	Small
	111013529	4560-08-V	Medium
	111013530	4560-09-V	Large
	111013531	4560-10-V	X-Large

#### SHOWA® BO500B

Polyurethane palm-coated 13-Gauge engineered nylon knit liner



Fastenal	SBG	
Item No.	Item No.	Size
111012097	BO500BS-V	Small
111012098	BO500BM-V	Medium
111012099	BO500BL-V	Large
111012100	BO500BXL-V	X-Large

\*ANSI/IS1EA 105-2005 American National Standard for Hand Protection Criteria.

Kevlar® is a registered trademark of E.I DuPont de Nemours and Company. Kevlar® is cut resistant but not cut-proof. Do no subject to high speed moving parts or serrated edges.

	TLAS Fit® 300B alm-Coated Natural Rubber	Fastenal Item No. 1093263 1093262 1093261 1093264	SBG Item No. 300BS-07 300BM-08 300BL-09 300BXL-10	Size Small Medium Large X-Large	Features  · 10-Gauge seamless knit liner  · Ergonomic shape  · Excellent wet & dry grip  · Wrinkle grip  · Machine washable	Applications  · Material handling · Construction · Maintenance · Assembly · Utilities
	TLAS® ReGrip 330 alm-Coated Natural Rubber	1093279 1093278 1093277 1093280	330S-07 330M-08 330L-09 330XL-10	Small Medium Large X-Large	<ul> <li>10-Gauge seamless knit liner</li> <li>Ergonomic shape</li> <li>Reinforced thumb</li> <li>Excellent wet &amp; dry grip</li> <li>Wrinkle grip</li> </ul>	· Construction · Agriculture · Highway work · Carpentry · Maintenance · Concrete re-bar
Po	TLAS Hi-Viz Grip® 317 alm-Coated Natural Rubber	1093275 1093274 1093273 1093276	317S-07 317M-08 317L-09 317XL-10	Small Medium Large X-Large	<ul> <li>10-Gauge seamless knit liner</li> <li>Hi-Viz yellow liner</li> <li>Ergonomic shape</li> <li>Excellent wet &amp; dry grip</li> <li>Wrinkle grip</li> </ul>	· Construction · Mining · Highway work · Landscaping · Shipping and receiving
F	I <b>nswer®</b> Ully Laminated Nitrile AA Compliant	0600294 0600295 0600296 0600297	2735-07 2735-08 2735-09 2735-10	Small Medium Large X-Large	<ul> <li>Cotton-poly liner</li> <li>Slip-on design for easy donning and doffing</li> <li>Textured grip</li> <li>Sanitized®</li> <li>Color-coded cuff to indicate size</li> </ul>	· Assembly · Inspection · Light to medium fabrication and material handling
F	Inswer® Plus Ully Laminated Nitrile	0600298 0600299 0600300	P2735-07 P2735-08 P2735-09	Small Medium Large	· Perforated back for breathability · Cotton-poly liner	· Assembly · Inspection · Light to medium

TAA Compliant

Perforated Back

- for breathability
- · Cotton-poly liner
- · Slip-on design for easy donning and doffing
  • Textured grip
  • Sanitized®

- · Color-coded cuff to indicate size







100
-----

- · Inspection · Light to medium
- fabrication and material handling



0600300

P2735-09

Large

	Fastenal Item No.	SBG Item No.	Size	Features	Applications
Nitri-Pro®	1002647	7000P-10	Large	Knit wrist	· Assembly
Palm-Coated Nitrile Cotton Jersey Liner Smooth grip TAA Compliant	1002643  1002644	7066-08 7066-09 7066-10	Small Medium Large	Reinforced safety cuff	<ul> <li>Warehouse</li> <li>Maintenance</li> <li>Sanitation</li> <li>Ship. &amp; receiving</li> <li>Construction</li> <li>Roofing</li> <li>Landscaping</li> </ul>
Nitri-Pro® Palm-Coated Nitrile Cotton Jersey Liner Rough Grip  TAA Compliant	0600314 0600315	7066R-09 7066R-10	Medium Large	Reinforced safety cuff	· Assembly · Warehouse · Maintenance · Sanitation · Ship. & receiving · Construction · Roofing · Landscaping
Nitri-Pro®	1008022	7166-10	Large	Reinforced safety cuff	· Assembly · Warehouse
Fully-Coated Nitrile Cotton Jersey Liner Smooth grip TAA Compliant	0600313	7199NC-10	Large	5" nitrile reinforced guantlet	• Maintenance • Sanitation • Ship. & receiving • Construction • Roofing • Landscaping
Strapper® Nitrile Laminated Cotton Liner TAA Compliant	 1002698 1002699	2790-08 2790-09 2790-10	Medium Large X-Large	<ul> <li>Slip-on design for easy donning and doffing</li> <li>Textured grip</li> <li>Color-coded cuff to indicate size</li> <li>Cotton back for breathable comfort</li> </ul>	· Assembly · Inspection · Light to medium fabrication and material handling
<b>KPG®</b> Fully-Coated PVC Seamless Cotton Knit Liner	0600306 0600307 0600308	960S-08 960M-09 960L-10	Small Medium Large	· Breathable PVC coating · Slip-on design for	· Assembly · Inspection · Light to medium

X-Large

960XL-11

Made in the USA TAA Compliant



fabrication and

· Maintenance

easy donning and doffing

· Textured grip

KPG® Fully-coated PVC Seamless cotton liner  Made in the USA TAA Compliant	Fastenal Item No. 0600309 0600310 0600311	SBG Item No. 961S-08 961M-09 961L-10	<b>Size</b> Small Medium Large	Features  · Breathable PVC coating · Knit wrist · Textured grip	Applications  · Assembly · Inspection · Light to medium fabrication and material handling · Maintenance
Fuzzy Duck® Fully-Coated PVC  Made in the USA TAA Compliant	1003116 1003117 1003118 1003119	962S-08 962M-09 962L-10 962XL-11	Small Medium Large X-Large	<ul> <li>Breathable PVC coating</li> <li>Slip-on design for easy donning and doffing</li> <li>Textured grip</li> <li>Cotton jersey liner</li> </ul>	· Assembly · Inspection · Light to medium fabrication and material handling · Maintenance
ATLAS Fit® 350 Nitrile Palm Coating	1017299 1017293 1017294 1017295	350S-07 350M-08 350L-09 350XL-10	Small Medium Large X-Large	<ul> <li>10-gauge seamless knit liner</li> <li>Ergonomic shape</li> <li>Abrasion resistant</li> <li>Textured grip</li> <li>Machine washable</li> </ul>	· Material handling · Assembly · Fabrication · Inspection
SHOWA® Foam Grip 376 3/4 Nitrile Undercoating Foamed Palm Coating	1047529 1047530 1047531 1047532 1047533	376S-06 376M-07 376L-08 376XL-09 376XXL-10	Small Medium Large X-Large XX-Large	<ul> <li>13-Gauge seamless knit liner</li> <li>Great in wet &amp; oily environments</li> <li>Full hand protection</li> <li>Liquid proof to the end of coated area</li> <li>Foamed nitrile grip</li> </ul>	· Automotive · Assembly · Maintenance · Inspection · Warehousing · Ship. & receiving · Chemical splash
SHOWA® Foam Grip 377 Full Nitrile Undercoating Foamed Palm Coating	7 1093305 1093304 1093303 1093306 1093307	377S-06 377M-07 377L-08 377XL-09 377XXL-10	Small Medium Large X-Large XX-Large	<ul> <li>13-Gauge seamless knit liner</li> <li>Great in wet &amp; oily environments</li> <li>Full hand protection</li> <li>Liquid proof to the end of coated area</li> <li>Foamed nitrile grip</li> </ul>	· Automotive · Assembly · Maintenance · Inspection · Warehousing · Ship. & receiving · Chemical splash



ATLAS® Ventulus® 380 Patented Waffle Pattern Foamed Nitrile Palm-Coated	Fastenal Item No. 1093310 1093309 1093308 1093311	SBG Item No. 380S-06 380M-07 380L-08 380XL-09	Size Small Medium Large X-Large	Features  · 13-Gauge seamless knit liner, lint free  · Waffle pattern great in oily environments  · Breathable	Applications  · Automotive · Assembly · Light fabrication of oily parts · Inspection · Tool handling · Packaging
ATLAS® Assembly Grip 370B Nitrile Palm Coating	1093293 1093292 1093291 1093294 1021428	370BS-06 370BM-07 370BL-08 370BXL-09 370BXXL-10	Small Medium Large X-Large XX-Large	<ul> <li>13-Gauge seamless knit liner, lint free</li> <li>Excellent dry grip and flexibility</li> <li>Textured grip</li> <li>Machine washable</li> </ul>	<ul> <li>Small parts assembly</li> <li>Inspecation</li> <li>Ship. &amp; receiving</li> <li>Light fabrication</li> <li>Material handling</li> <li>Automotive</li> <li>Packaging</li> </ul>
ATLAS Therma Fit® 451 Natural Rubber Palm-Coated	1093334 1093333 1093332 1093335	451S-07 451M-08 451L-09 451XL-10	Small Medium Large X-Large	<ul> <li>10-Gauge insulated seamless knitted liner</li> <li>Excellent wet &amp; dry grip</li> <li>Wrinkle grip</li> <li>Machine washable</li> </ul>	· Cold storage · Outdoor work · Maintenance · Landscaping
Zorb-IT®  Maximum Oil Absorbency Sponge Nitrile Coated  Made in the USA TAA Compliant	1008007 1008008 1008009 1008010 1008011	4550-06 4550-07 4550-08 4550-09 4550-10	X-Small Small Medium Large X-Large	<ul> <li>Flat-dipped nitrile coating</li> <li>Ergonomic design</li> <li>Breathable, seamless nylon liner</li> <li>Color-coded cuff to indicate size</li> <li>Sanitized®</li> </ul>	· Material handling · Metal fabrication · Durable goods assembly
Zorb-IT® HV  Maximum Oil Absorbency Sponge Nitrile  Made in the USA TAA Compliant	1023107 1023108 1023109 1021338	4570-07 4570-08 4570-09 4570-10	Small Medium Large X-Large	<ul> <li>Flat-dipped nitrile</li> <li>Hi-Viz orange nylon liner</li> <li>Erogonomic design</li> <li>Sanitized<sup>®</sup></li> <li>Color-coded cuffs to indicate size</li> </ul>	<ul> <li>Material handling</li> <li>Metal fabrication</li> <li>Durable goods assembly</li> </ul>

	Fastenal Item No.	SBG Item No.	Size	Features	Applications
<b>Zorb-IT Black-Lite®</b> Light Oil Absorbency Sponge Nitrile Flat-Dipped	1023097 1023098 1023099 1021337	4540-07 4540-08 4540-09 4540-10	Small Medium Large X-Large	<ul> <li>Sponge nitrile flat- dipped</li> <li>Breathable, seamless nylon liner</li> </ul>	<ul> <li>Material handling</li> <li>Metal fabrication</li> <li>Durable goods assembly</li> </ul>
Made in the USA TAA Compliant	1021007	4040-10	X-Edige	· Color-coded cuffs to indicate size · Sanitized® · Sponge grip	AND STREET
The Original Nitri Flex® Palm Coated Nitrile Cotton Interlock Liner	1008004 1008005 1008006	4000P-08 4000P-09 4000P-10	Small Medium Large	<ul> <li>Knit wrist</li> <li>Nitrile palm coating</li> <li>Color-coded cuffs</li> <li>to indicate size</li> </ul>	· Assembly · Parts Handling · Maintenance
TAA Compliant				· Smooth grip	and a run
Nitri-Flex® Lite Flat-Dipped Nitrile Seamless Nylon Liner	1001972 1001973 1001974 1001975	4500-07 4500-08 4500-09 4500-10	Small Medium Large X-Large	<ul> <li>Flat-dipped nitrile</li> <li>Breathable nylon liner</li> <li>Ergonomic design</li> <li>Color-coded cuff to indicate size</li> <li>Smooth grip</li> </ul>	· Assembly · Parts Handling · Maintenance
CharGuard® Insulated Non-Woven Heat-Resistant  Made in the USA TAA Compliant	1016485 1016486 1016487 1016488	8814-07 8814-08 8814-09 8814-10	Small Medium Large X-Large	<ul> <li>14" long</li> <li>Proprietary textured coating</li> <li>Intermittent heat up to 500°F</li> </ul>	· Contact heat · Castings · Glassware · Bakeries · Hot objects up to 500° F

ATLAS® KV300 Natural Rubber Palm Coating	Fastenal Item No 1093541 1093544	SBG Item No. KV300S-07 KV300M-08 KV300L-09 KV300XL-10	Size Small Medium Large X-Large	Features  · 10-Gauge seamless cut resistant liner made with Kevlar® · Ergonomic shape · Wrinkle grip · Great wet & dry grip · ANSI CUT-LEVEL 3*	Applications  · Glass handling  · Mechanical  · Automotive  · Construction  · Machine or  compartment  assembly  · Recycling  · Bottling	Agrica .
Nitri-Flex® Ultimate Flat-Dipped Nitrile  Made in the USA TAA Compliant	1003706 1005583 1005584 1005585	5900-07 5900-08 5900-09 5900-10	Small Medium Large X-Large	<ul> <li>15-Gauge seamless stretch cut-resistant Kevlar®/Lycra® liner</li> <li>Color-coded cuff to indicate size</li> <li>Textured grip</li> <li>ANSI CUT-LEVEL 2*</li> </ul>	<ul> <li>Glass handling</li> <li>Mechanical</li> <li>Automotive</li> <li>Construction</li> <li>Machine or compartment assembly</li> <li>Recycling</li> <li>Bottling</li> </ul>	Sole Mits-Far Officeau \$900-09
Zorb-IT® Ultimate Maximum Oil Absorbency Palm-Dipped Sponge Nitrile  Made in the USA TAA Compliant	1013527 1013528 1013529 1013530 1013531	4560-06 4560-07 4560-08 4560-09 4560-10	X-Small Small Medium Large X-Large	<ul> <li>15-Gauge seamless stretch Kevlar® liner</li> <li>Ergonomic design</li> <li>Color-coded cuff to indicate size</li> <li>Sanitized®</li> <li>ANSI CUT-LEVEL 3*</li> </ul>	<ul> <li>Glass handling</li> <li>Mechanical</li> <li>Automotive</li> <li>Construction</li> <li>Machine or compartment assembly</li> <li>Recycling</li> <li>Bottling</li> </ul>	Mill or an annual formation of the second of
Zorb-IT Ultra®  Maximum Oil Absorbency Deeper Palm-Dipped Sponge Nitrile  Made in the USA TAA Compliant	1023101 1023102 1023103 1023104 1023105	4565-07 4565-08 4565-09 4565-10 4565-11	Small Medium Large X-Large XX-Large	<ul> <li>15-Gauge seamless, stretch Kevlar® liner</li> <li>Deeper dip for back of hand protection</li> <li>Color-coded 4" extended cuff</li> <li>Sanitized®</li> <li>ANSI CUT-LEVEL 3*</li> </ul>	<ul> <li>Glass handling</li> <li>Mechanical</li> <li>Automotive</li> <li>Construction</li> <li>Machine or compartment assembly</li> <li>Recycling</li> <li>Bottling</li> </ul>	The state of the s
Zorb-IT® Ultimate HV Maximum Oil Absorbency	1037436 1037437 1037438	4567-06 4567-07 4567-08	X-Small Small Medium	· 15-Gauge seamless Kevlar® liner · Sponge pitrile dipped	· Glass handling · Mechanical · Automotive	

Medium

X-Large

XX-Large

Large



1037438

1037439

1037440

1037441

Flat-dipped sponge nitrile

Made in the USA

TAA Compliant

4567-08

4567-09

4567-10

4567-11

· Construction

· Machine or

compartment assembly · Recycling · Bottling

· Sponge nitrile dipped · Automotive

· Sanitized®

ANSI CUT-LEVEL 3\*

<sup>\*</sup>ANSI/IS1EA 105-2005 American National Standard for Hand Protection Criteria.
Sanitized® is a registered trademark of Sanitized AG.
Kevlar® is a registered trademark of E.I DuPont de Nemours and Company.
Kevlar® is cut resistant but not cut-proof. Do no subject to high speed moving parts or serrated edges.

	Fastenal Item No.	SBG Item No.	Size	Features	Applications
AEGIS HP54® Sponge Nitrile Palm Coating High Performance Fiber Knit Made in the USA TAA Compliant	1025734 1025735 1025736 1025737 	230-07 230-08 230-09 230-10 230-11	Small Medium Large X-Large XX-Large	<ul> <li>10-Gauge seamless, breathable HPPE, Nylon &amp; Lycra® knit</li> <li>Sponge nitrile grip</li> <li>Ergonomic design</li> <li>ANSI CUT-LEVEL 4*</li> </ul>	· Oily Surfaces · Metal stamping · Mechanical · Automotive · Sheet metal assembly · Recycling · Bottling
AEGIS KVS4® Sponge Nitrile Palm Coating Kevlar® Stainless Steel High Performance Fiber Knit  Made in the USA TAA Compliant	1037442 1037443 1037444 1037445 1037446	250-07 250-08 250-09 250-10 250-11	Small Medium Large X-Large XX-Large	<ul> <li>13-Gauge seamless, breathable Kevlar® stainless steel High Performance knit</li> <li>Sponge nitrile palm</li> <li>ANSI CUT-LEVEL 4*</li> </ul>	Oily Surfaces Metal stamping Mechanical Automotive Sheet metal assembly Recycling Bottling
D-FLEX® 10-Gauge Seamless Cut-Resistant Knit  Made in the USA TAA Compliant	1002704 1002705 1002706 1002707 1002708	910-06 910-07 910-08 910-09 910-10	X-Small Small Medium Large X-Large	<ul> <li>Dyneema®/stainless steel engineered fiber</li> <li>Ambidextrous</li> <li>Fully launderable</li> <li>Food safe</li> <li>ANSI CUT-LEVEL 4*</li> </ul>	· Food processing · Cutting · Glass handling · Sheet metal handling · Restaurants · Commercial fishing · Meat & Poultry
D-FLEX® 10-Gauge Seamless Cut- Resistant Knit PVC dotted grip  Made in the USA TAA Compliant	1002709 1002710 1002711 1002712 1002713	910C-06 910C-07 910C-08 910C-09 910C-10	X-Small Small Medium Large X-Large	<ul> <li>Engineered fiber with Dyneema®/stainless steel</li> <li>Ambidextrous</li> <li>Fully launderable</li> <li>PVC dotted on both sides for better grip</li> <li>Food safe</li> <li>ANSI CUT-LEVEL 4*</li> </ul>	<ul> <li>Razor knives</li> <li>Material handling</li> <li>Warehousing</li> <li>Commercial fishing</li> <li>Glass handling</li> </ul>
<b>D-FLEX®</b> 10-Gauge Seamless Cut- Resistant Wire-Free Knit	1012083 1012084 1012085	8110-06 8110-07 8110-08	X-Small Small Medium	· Engineered fiber with Dyneema® · Ambidextrous	· Food processing · Cutting · Glass handling



 $\cdot \; \text{Sheet metal}$ 

RestaurantsCommercial fishingMeat & Poultry

handling

Made in the USA

TAA Compliant

Large

X-Large

· Fully launderable

· ANSI CUT-LEVEL 5\*

· Food safe

1012086

1012087

8110-09

8110-10

	Fastenal Item No.	SBG Item No.	Size	Features	Applications
<b>D-FLEX® Plus</b> 7-Gauge Seamless Cut-Resistant Knit  Made in the USA TAA Compliant	1002714 1002715 1002716 1002717 1002718	917-06 917-07 917-08 917-09 917-10	X-Small Small Medium Large X-Large	<ul> <li>Engineered fiber with four strands of stainless steel</li> <li>Ambidextrous</li> <li>Fully launderable</li> <li>Food safe</li> <li>ANSI CUT-LEVEL 5*</li> </ul>	<ul> <li>Razor knives</li> <li>Warehousing</li> <li>Commercial fishing</li> <li>Glass handling</li> <li>Material handling</li> </ul>
D-FLEX® Plus 7-Gauge Seamless Cut-Resistant Knit Left-hand PVC dotted palm Made in the USA TAA Compliant	1002724 1002725 1002726 1002727 1002728	917C-06LH 917C-07LH 917C-08LH 917C-09LH 917C-10LH	X-Small Small Medium Large X-Large	<ul> <li>Engineered fiber with four strands of stainless steel</li> <li>Fully launderable</li> <li>Food safe</li> <li>Left-hand palm coated with PVC dots</li> <li>ANSI CUT-LEVEL 5*</li> </ul>	<ul> <li>Razor knives</li> <li>Warehousing</li> <li>Commercial fishing</li> <li>Glass handling</li> <li>Material handling</li> </ul>
D-FLEX® Plus 7-Gauge Seamless Cut-Resistant Knit Right-hand PVC Dotted Palm Made in the USA TAA Compliant	1002719 1002720 1002721 1002722 1002723	917C-06RH 917C-07RH 917C-08RH 917C-09RH 917C-10RH	X-Small Small Medium Large X-Large	<ul> <li>Engineered fiber with four strands of stainless steel</li> <li>Fully launderable</li> <li>Food safe</li> <li>Right-hand palm coated with PVC dots</li> <li>ANSI CUT-LEVEL 5*</li> </ul>	<ul> <li>Razor knives</li> <li>Warehousing</li> <li>Commercial fishing</li> <li>Glass handling</li> <li>Material handling</li> </ul>
T-FLEX® Plus 13-Gauge Seamless Cut- Resistant Thermax® Lined Knit  Made in the USA TAA Compliant	1012078 1012079 1012080 1012081 1012082	8113-06 8113-07 8113-08 8113-09 8113-10	X-Small Small Medium Large X-Large	<ul> <li>Engineered fiber with Dyneema® and AlphaSan®</li> <li>Stretch feel and breathable comfort</li> <li>Ambidextrous</li> <li>Fully launderable</li> <li>Food safe</li> <li>ANSI CUT-LEVEL 4*</li> </ul>	· Food processing · Liner glove · Trimming · Material handling

**T-FLEX® Plus** 

13-Gauge Seamless Cut-Resistant Thermax® Lined Knit PVC dotted on both sides

Made in the USA **TAA Compliant** 

- 8113C-06 X-Small 1093445 1093446 8113C-07 Small 1093447 8113C-08 Medium 1093448 8113C-09 Large 1093449 8113C-10 X-Large
- · Engineered fiber with Dyneema® and AlphaSan®
- · Stretch feel and breathable comfort
- · Ambidextrous
- · Fully launderable
- · Food safe
- · PVC dotted palm
- ANSI CUT-LEVEL 4\*









Dyneema® is a registered trademark of Royal DSM N.V. Dyneema® is cut resistant not cut-proof. Do not subejct to high speed moving parts or serrated edges. AlphaSan® is a registered trademark if Milliken & Company.
Thermax® is a registered trademark of E.l. de Nemours and Company.

· Liner glove

· Trimming

<sup>\*</sup>ANSI/IS1EA 105-2005 American National Standard for Hand Protection Criteria.

	Fastenal Item No.	SBG Item No.	Size	Features	Applications
<b>D-FLEX® Plus</b> 7-Gauge Seamless Cut- Resistant Wire-Free Knit  Made in the USA TAA Compliant	1012088 1012089 1012090 1012091 1012092	8127-06 8127-07 8127-08 8127-09 8127-10	X-Small Small Medium Large X-Large	<ul> <li>Engineered fiber with Dyneema®</li> <li>Ambidextrous</li> <li>Food safe</li> <li>Fully launderable</li> <li>ANSI CUT-LEVEL 5*</li> </ul>	· Food processing · Cutting · Glass handling · Sheet metal handling · Restaurants · Commercial fishing · Meat & Poultry
SHOWA® 541 13-Gauge Cut-Resistant Engineered Fiber Polyurethane Palm Coating	1012093 1012094 1012095 1012096 1008795	541-S 541-M 541-L 541-XL 541-XXL	Small Medium Large X-Large XX-Large	<ul> <li>Engineered fiber with Dyneema®</li> <li>Polyurethane palm coating</li> <li>ANSI CUT-LEVEL 2*</li> </ul>	· Intricate sharp objects handling · Constructions · Glass handling · Bottling · Canning · Sheet metal work · Automotive · Fabrication
SHOWA® 545 13-Gauge Cut-Resistant Engineered Fiber Nitrile Palm Coating	1049968 1049969 1049970 1049971	545-S 545-M 545-L 545-XL	Small Medium Large X-Large	<ul> <li>Engineered fiber with Dyneema®</li> <li>Nitrile palm coating</li> <li>Abrasion resistant</li> <li>ANSI CUT-LEVEL 2*</li> </ul>	· Intricate sharp objects handling · Constructions · Glass handling · Bottling · Canning · Sheet metal work · Automotive · Fabrication
ATLAS® KV660 Fully-Coated Triple-Dipped PVC	1093549 1093551	KV660L-09 KV660XL-10	Large X-Large	<ul> <li>Seamless cutresistant liner made with Kevlar®</li> <li>Triple-dipped PVC</li> <li>Oil Resistant</li> <li>Rough grip</li> <li>ANSI CUT-LEVEL 3*</li> </ul>	· Mechanical · Automotive · Construction · Machine assembly · Recycling · Bottling · Glass handling
AEGIS S237-16T 7-Gauge Cut-Resistant Sleeve with Thumb Loop	1015391	\$237-16T	One size fits most	· Engineered fiber with Dyneema® · Ambidextrous · 16" long	· Steel & metal fabrication · Stamping · Paper & pulp

Made in the USA

TAA Compliant

· Thumb-loop to protect · Automotive

wrist area
ANSI CUT-LEVEL 3\*

· Glass handling

· Appliance manufacturing · Construction · Food handling

	Fastenal Item No.	SBG Item No.	Size	Features	Applications	
S-TEX® 300 Natural Rubber Palm Coating Polyester/Stainless Steel Liner	1025722 1025723 1025724 1025725	S-TEX300S-07 S-TEX300M-08 S-TEX300L-09 S-TEX300XL-10	Small Medium Large X-Large	<ul> <li>10-Gauge seamless polyester /stainless steel liner</li> <li>Hagane Coil® technology</li> <li>Natural rubber palm coating</li> <li>Wrinkle grip</li> <li>ANSI CUT-LEVEL 4*</li> </ul>	<ul> <li>Metal stamping</li> <li>Mechanical</li> <li>Automotive</li> <li>Sheet metal assembly</li> <li>Glass Handling</li> <li>Bottling</li> <li>Recycling</li> </ul>	
S-TEX® 350 Nitrile Palm Coating Polyester/Stainless Steel Liner	1025730 1025731 1025732 1075733	S-TEX350S-07 S-TEX350M-08 S-TEX350L-09 S-TEX350XL-10	Small Medium Large X-Large	<ul> <li>10-Gauge seamless polyester/stainless steel liner</li> <li>Hagane Coil® technology</li> <li>Nitrile palm coating</li> <li>Wrinkle grip</li> <li>ANSI CUT-LEVEL 4*</li> </ul>	<ul> <li>Metal stamping</li> <li>Mechanical</li> <li>Automotive</li> <li>Sheet metal assembly</li> <li>Glass Handling</li> <li>Bottling</li> <li>Recycling</li> </ul>	ST. B.
<b>S-TEX® 303</b> Natural Rubber Palm Coating Kevlar®/stainless steel liner	1075726 1075727 1075728 1075729	S-TEX303S-07 S-TEX303M-08 S-TEX303L-09 S-TEX303XL-10	Small Medium Large X-Large	10-Gauge seamless Kevlar®/stainless steel liner     Hagane Coil® technology     Natural rubber palm coating     Wrinkle grip     ANSI CUT-LEVEL 5*	<ul> <li>Metal stamping</li> <li>Mechanical</li> <li>Automotive</li> <li>Sheet metal assembly</li> <li>Glass Handling</li> <li>Bottling</li> <li>Recycling</li> </ul>	STATE OF THE PARTY
<b>S-TEX® 541</b> Polyurethane Palm Coating Hagane Coil® technology	1047513 1047514 1047515 1047516 1047517	S-TEX541S-06 S-TEX541M-07 S-TEX541L-08 S-TEX541XL-09 S-TEX541XXL-10	Small Medium Large X-Large XX-Large	<ul> <li>13-Gauge engineered Hagane Coil® technology</li> <li>Polyurethane palm coating</li> <li>Textured grip</li> <li>ANSI CUT-LEVEL 4*</li> </ul>	<ul> <li>Metal stamping</li> <li>Mechanical</li> <li>Automotive</li> <li>Sheet metal assembly</li> <li>Glass Handling</li> <li>Bottling</li> <li>Recycling</li> </ul>	O SEE



# HI-TECH

	Fastenal Item No.	SBG Item No.	Size	Features	Applications
SHOWA® B0500B  Polyurethane Palm-Coated 13-Gauge Engineered Nylon Knit Liner	1012097 1012098 1012099 1012100 1008804	BO500B-S BO500B-M BO500B-L BO500B-XL BO500B-XXL	Small Medium Large X-Large XX-Large	<ul> <li>Polyurethane palm coated</li> <li>Engineered knit liner</li> <li>Launderable</li> <li>Smooth grip</li> </ul>	<ul> <li>Small parts assembly</li> <li>Electronics</li> <li>Semiconductors</li> <li>Aircraft assembly</li> <li>Automotive</li> </ul>
SHOWA® B0500W  Polyurethane Palm-Coated 13-Gauge Engineered Nylon Knit Liner	1012101 1012102 1012103	BO500W-S BO500W-M BO500W-L	Small Medium Large	<ul> <li>Polyurethane palm coated</li> <li>Engineered knit liner</li> <li>Launderable</li> <li>Smooth grip</li> </ul>	<ul> <li>Small parts assembly</li> <li>Electronics</li> <li>Semiconductors</li> <li>Aircraft assembly</li> <li>Automotive</li> </ul>

#### **POLYMERS**

Naturally occurring and man-made polymers are essential building blocks of hand protection. Specific polymers protect workers from specific hazards. There is no ideal glove that works in every situation. Showa Best Glove utilizes a variety of polymer coatings and fabrics, designed for a variety of tasks.

#### NATURAL RUBBER

Natural Rubber, the most elastic substance known is found in over two hundred plants including the rubber tree (Hevea Brasiliensis), the source of natural rubber latex used to manufacture some Showa Best gloves.



Natural rubber is a flexible and soft, yet tough and durable coating that provides excellent protection from physical hazards and provides an outstanding grip. Natural rubber provides excellent protection from exposure to aqueous chemicals such as acids and caustics, and limited protection from alcohols and ketones. Natural rubber gloves do not hold up well in organic solvents, oils, greases or fuels such as kerosene or

CAUTION: Natural rubber latex has been shown to cause allergic reactions in sensitized individuals.



NEOPRENE (Polychloroprene, CR)

Strong, durable Neoprene gloves provide excellent protection from physical hazards such as cuts and abrasions and also provide excellent chemical resistance for protection from exposure to organic and inorganic acids. Neoprene gloves

also provide excellent protection from many organic solvents, oils, greases and petrochémicals and resist degradation from ozone, sunlight and oxidation. In addition, Neoprene remains functional and flexible at temperatures ranging from -10° to 300° F (-23° to 150° C).

#### NITRILE (Acrylonitrile-Butadiene Rubber)

Nitrile, a versatile synthetic copolymer, is used to make a variety of gloves ranging from heavy-duty work gloves to ultrathin medical and clean room gloves. Nitrile coating provides tough protection from physical hazards such as cut, puncture or abrasion. Nitrile dipped gloves also provide chemical resistance to petrochemicals (especially fuels), oils, greases, pesticides and other agricultural chemicals while providing excellent dexterity.



#### PVC (Polyvinyl Chloride)

PVC is an economical synthetic thermoplastic polymer that is exceptionally durable. PVC gloves provide excellent protection from limited chemical exposure and physical hazard protection. They are noted for being

durable and function well in temperatures ranging from -30° up to 212°F (-34° up to 100° C).

#### BUTYL (Butyl Rubber)

Butyl Rubber's tight molecular structure provides excellent chemical resistance to gases and ketones. Butyl gloves are manufactured in unsupported version only and are used by the military for protection from chemical warfare agents. Butyl rubber is severely

affected by exposure to fuels and aliphatic and aromatic hydrocarbon solvents.

#### VITON® (Fluoroelastomer)

Viton provides excellent chemical resistance to fuels used in the aerospace industry. It provides excellent protection from exposure to aromatic hydrocarbons such as benzene, toluene or xylene. Viton gloves are available in unsupported version only. For working with extremely hazardous chemicals such as carcinogenic or highly toxic chemicals, Viton works where no other glove works.



Certain combinations of polymers are used to make hybrid gloves. Neoprene over natural rubber latex is used in Best® Chem Master™ gloves. Viton over Butyl is used to make the highly chemical resistant Best® Viton® II glove. Nitrile is used as an overdip in several Showa Best natural rubber gloves to provide added resistance to aging, ozone and chemicals.

### Z U S ш Δ ш



Knitwrist: designed to keep glove firmly in place, prevents debris from entering glove, enhances warmth, should not be used where quick glove removal is needed.



Safety Cuff: allows glove to slide on and off easily, helps protect wrist, releases quickly from hand, won't soften when exposed to perspiration or washing.



Gauntlet: provides additional protection for lower forearm, allows maximum forearm dexterity. lets glove slide off easily, protects wrist, releases quickly from

Note: Unsupported gloves may have a rolled cuff, a serrated cuff or a straight

Color Coded Cuffs: Many of our styles have color-coded cuffs for easy size identification and pairing after laundering.

ESIGN ۵ <u>~</u> ט

Supported aloves TEXTURED GRIP BREATHABLE VINYL

WRINKLE FINISH

Unsupported gloves BISQUE FINISH TRACTOR TREAD SMOOTH FINISH

NOTE: Some Showa Best gloves have no special grip design, yet still provide good gripping power due to the intrinsic properties of the particular glove

Flat Dipped Technology: The process where various polymers are dipped onto a seamless liner to form a palm coating. This coating enhances grip, dexterity, and puncture and abrasion resistance. The open back design on flat dipped gloves also allows hands to breathe and increases flexibility.

Disposable Gloves: This category of unsupported gloves is generally characterized as a thin-gauge glove that is not intended for repeated use. They may have a donning agent such as powder or may be powder-free.

Laminated Gloves: This special nitrile-coated fabric is made by transfer-coating the nitrile polymer onto a textured surface and then laminating the nitrile film onto Sanitized® poly-cotton fabric for superior comfort and flexibility.

Impregnated Gloves: This special nitrile or PVCcoated fabric is made by knife-coating nitrile or PVC directly onto Sanitized® cotton fabric.

Supported Gloves: These gloves offer a polymer coating over a cotton, nylon or Kevlar® liner. The textile substrate imparts added strength and resistance to abrasion, cuts and punctures.

Unsupported Gloves: These are polymer gloves with no textile lining. These gloves include heavyweight, medium weight or disposable gloves. They may be chlorinated or have a cotton flock lining for easier donning.

Cut Resistant Gloves: This special category is characterized by the utility of the gloves and includes either polymer coated gloves or special high performance yarns that are designed to impart cut-resistance or combinations of these.

R 4 CH ш

0

Glove Size XS S М 1 Hand Size 6-7 7-8 8-9 9-10 10-11

Sizing: Use a tape measure to find the circumference of your hand around the palm area. This is close to your actual glove size. For example, 7" is equal to a size 7 glove. Sizes can vary among different

manufacturers and styles. For easy size comparison, refer to the above chart and note color coding.

Mil Thickness: 1 mil = 1/1000 of an inch

Sanitized® is a registered trademark of Sanitized AG. Kevlar® is a registered trademark of E.I. DuPont de Nemours and Company.

### **ADDITIONAL TECHNICAL SERVICES**

#### TRIAD - ONE PROGRAM THREE SOLUTIONS

Showa Best Glove's TRIAD program offers the maximum assistance in protecting workers from Hand Injuries. Whether it be Protection from Cuts, Abrasions, Punctures or Hazardous Chemicals, we offer the highest standards of consultation by our team of hand protection professionals. With our latest innovations in protective products, technical support and professional glove surveys, we are here to assist you in protecting your workers by reducing hand injuries and providing insight in cost savings with the very best in Hand Protection.

#### WWW.CHEMREST.COM

Showa Best Glove's CHEMREST.com is the website dedicated strictly to selecting gloves for chemical resistance. This user-friendly website contains ASTM and EN compliant chemical resistance data for several thousand chemical tests and includes the following features:

- Several hundred pure chemicals or chemical mixtures tested
- Various Showa Best gloves tested including new styles
- ASTM test methods for two levels of exposure, heavy and intermittent
- ASTM F739-96 Standard Test Method for Permeation by Liquids or Gases Under Conditions of Heavy Continuous Exposure where glove materials are totally immersed in the test chemicals for eight hours
- ASTM F1383-96 Standard Test Method for Permeation by Liquids or Gases Under Conditions of Intermittent Contact where glove material is exposed to the test chemical intermittently
- Degradation testing at four time intervals
- EN 374 ratings for permeation breakthrough time
- Toxicity and risk information for several hundred chemicals
- NFPA health, flammability and reactivity for several hundred chemicals
- International Agency for Research on Cancer status for each chemical
- American Conference of Governmental Industrial Hygienists "Skin-Notation" chemicals are noted
- · Environmental Protection Agency's "Extremely Hazardous Chemicals" are
- · Pictures of each glove with complete information on ordering and uses
- Search the Website by chemical name or CAS number
- E-mail technical questions to Showa Best Glove Technical Services or contact your Best representative in your national or international area
- Print out chemical resistant table to your printer for each chemical
- Linked to showabestglove.com

#### **CUSTOMIZED CHEMREST™ TESTING**

Under certain conditions, we can use our state-of-the-industry permeation testing equipment to analyze the particular chemical or chemical mixture from which you're seeking protection to help you determine which Showa Best Glove chemical-resistant glove you should use. Call 800-241-0323, for more information. Some testing procedures are subject to a modest service fee. Quotations offered upon request.

#### WWW.CUTREST.COM

Showa Best Glove's CUTREST.com, our latest website, is totally dedicated to protecting workers from injuries involving handling sharp objects in the workplace. ANSI Cut Levels based on ASTM F1790 Cut Resistance Testing and EN 388 Cut Resistance Performance Index Levels are presented. Gloves are ranked in order of preference based on the results of International Cut Resistance Testing Standards. Educational Information is provided on Kevlar®, Dyneema®, HPPE, Hagane Coil® Technology and Engineered Fibers for ease of product selection. A product comparison feature simplifies the selection process based on cut Level, coating, hazards and material construction.

### **TERMS AND CONDITIONS**

#### LIMITED WARRANTY & DISCLAIMERS

Showa Best Glove warrants only that gloves manufactured by Showa Best Glove will be free from defects in materials and workmanship at the time of manufacture. This limited warranty expires one (1) year after shipment. This limited warranty is exclusive and in lieu of all other warranties, express, implied, or statutory. Showa Best Glove's entire obligation and the exclusive remedy to any party for breach of this limited warranty shall be limited to replacement or refund of the original purchase price of the product, at Showa Best Glove's option, and subject to customer's compliance with Showa Best Glove's Returns policy. Showa Best Glove's limited warranty shall not apply, however, to SBG gloves that have been subject to misuse, accident, or negligence during service, handling, or storage.

#### **DISCLAIMER OF IMPLIED WARRANTIES**

All implied warranties which may arise by implication of law or application of course of dealing or usage of trade, including, but not limited to, implied warranties of merchantability or fitness for a particular purpose, are expressly excluded. There are no warranties which extend beyond the description on the face hereof. The end user is solely responsible for the suitability of the glove selection for a particular application.

#### **FORCE MAJEURE**

Showa Best Glove shall not be liable for delay in or failure to perform any of its obligations if the delay or failure results directly or indirectly by Force Majeure. "Force Majeure," as used herein means any law, order, regulations, or government action; failure or delay of transportation; suspension or cancellation of any required license(s); insurrection, riots, national emergencies, war, acts of public enemies, strikes or other labor difficulties; inability to obtain necessary labor, manufacturing facilities, materials or components from Showa Best Glove's usual sources; fires, floods or other catastrophes; acts of God or any cause of like or kind beyond our control.

## **INDEX**

DISPOSABLE		
1005	DermaThin®	3
2005, 2005PF, 2205SPF	Real Feel®	3
5005PF	BEST® Latex	3
6005PF	N-DEX® Original Medical	1
7005, 7005PF	N-DEX® Original	1
7500PF, 8500PF	BEST® Nitrile	2
7700PFT	N-DEX® NightHawk®	2
7705PFT	N-DEX Free®	2
8005	N-DEX® Plus	1
9905PF	N-DEX® Ultimate	1
C9905PF	CleaN-DEX® Ultimate	2
CHEMICAL PROTECTION		
73, 75, 76	Insulated Super Flex <sup>TM</sup>	5
460	ATLAS® 460	5
620	ATLAS® 620	6
660	ATLAS® 660	6
700, 709	BEST Master®	4
723	Chlorflex™	6
724R, 725R, 728R	Hustler <sup>TM</sup>	5
BG717, BG727, BG730, BG737, BG747	Body Guard®	8
5122, 6780, 6784, 6797, 6731	BEST® Neoprene	6
6780R, 6784R, 6797R	Neo Grab™	6
6781R	InsulatedNeoGrab™	7
7710, 7712, 7714	BlackKnight®	5
7703R, 7710R, 7712R, 7714R	Black Knight®	5
CHM	BEST® ChemMaster™	7
NSK24	NSK 24 <sup>TM</sup>	7
NM11, NM15, NM15FL	Nitri-Master®	7
VM, VMU, VMUP	Value Master <sup>TM</sup>	4
VENDING		10-11
MULTI-PURPOSE		
63PNFW, 66NFW, 66NF, 67NFW	The Original Nitty Gritty®	9
300		
300B		
317		
330		
350	· ·	
2708	ATLAS® Assambly Grin 3708	

INDEX

# **INDEX**

	SHOWA® Foam Grip 376	
377	SHOWA® Foam Grip 377	14
380	ATLAS® Ventulus® 380	15
451	ATLAS Therma Fit® 451	15
960	KPG®	13
961, 962	KPG®, Fuzzy Duck®	14
2735, P2735	Answer®, Answer® Plus	12
2790	Strapper®	13
3811	Skinny Dip®	9
3910	Cutlass®	9
4000P	The Original Nitri-Flex®	1
4500	Nitri-Flex® Lite	1
4540	Zorb-IT Black-Lite®	16
4550	Zorb-IT®	15
4570	Zorb-IT® HV	15
	Nitri-Pro®	
·	CharGuard®	
CUT PROTECTION		
230	AEGIS HP54®	18
	AEGIS KVS4®	
541	SHOWA® 541	20
	SHOWA® 545	
	D-FLEX®.	
•	D-FLEX® Plus	
4560	Zorb-IT® Ultimate	17
4567	Zorb-IT® Ultimate HV	17
4565	Zorb-IT ULTRA®	17
5900	Nitri-Flex® Ultimate	17
8110	D-FLEX®	18
	D-FLEX® PLUS	
8113, 8113C	T-LEX® Plus	19
	ATLAS® KV300	
	ATLAS® KV660	
	S-TEX® 300	
	S-TEX® 303	
	S-TEX® 350	
S-TEX 541	S-TEX® 541	21
HI-TECH		
BO500B	SHOWA® BO500B	22
BO500W	SHOWA® BO500W	22
TECHNICAL GLOSSARY		21



www.fastenal.com

Contact your Fastenal representative for more information.