



www.BradyID.com/pipemarkers

Pipe And Valve Identification

A comprehensive collection of pipe and valve marking supplies, tools and identification systems.

Pipe Markers

www.BradyID.com/pipemarkers

ASME (ANSI) Standard A13.1-2007

The ASME (ANSI) Standard for pipe identification is a widely used guideline in determining pipe identification requirements. The purpose of the standard is to:

- “assist in identification of hazardous materials conveyed in piping systems and their hazards when released into the environment.”
- “Pipes are defined as conduits for the transport of gases, liquids, semi-liquids or fine particulate dust.”

Brady Pipe Marking Systems Meet the ASME (ANSI) A13.1-2007 Standard

The Brady Pipe Marking System instantly tells you all you need to know... pipe contents...direction of flow...whether hazardous or safe.

Brady Pipe Marking Systems Meet the ASME (ANSI) Size Recommendations

The A13.1-2007 standard also makes recommendations as to the size of letter height and length of color field for various pipe diameters. These recommendations are shown in the table.

Brady Pipe Marking Systems Meet ASME (ANSI) Color Recommendations

Unmarked pipes mean danger – to both life and property. Numerous injuries have occurred through ignorance of pipe contents, particularly when outside agencies are called in under emergency conditions.

Brady Pipe Marking Systems Meet the ASME (ANSI) A13.1-2007 Standard

Visibility “Markers shall be located so that they are readily visible to plant personnel from the point of normal approach.” Brady Pipe Markers instantly tell you all you need to know about pipe contents, direction of flow and whether hazardous or safe.



Outside Diameter of Pipe or Covering	Length of Color Field	Size of Letters
3/4" to 1-1/4"	5"	1/2"
1-1/2" to 2"	8"	3/4"
2 1/2" to 6"	12"	1-1/4"
8" to 10"	24"	2-1/2"
Over 10"	32"	3-1/2"

NOTE: For pipes less than 3/4" in diameter, a permanently legible tag is recommended.

Classification	Color Scheme
Fire Quenching Fluids	White on Red
Toxic & Corrosive Fluids	Black on Orange
Flammable Fluids	Black on Yellow
Combustible Fluids	White on Brown
Potable, cooling, boiler feed, and other water	White on Green
Compressed Air	White on Blue

NOTE: White on brown available upon request.

Brady Recommendations for Marker Placement:



NEW!


Online Custom Design Tool

Design AMSE (ANSI) compliant Pipe Markers that meet the exact specification of your facility's pipes. Choose your style, size, color and custom text.

Try the Custom Design Tool at www.BradyID.com!

Easy as 1, 2, 3!

- 1) Select your category
- 2) Customize your product
- 3) Add to your shopping cart



Create custom products in minutes!


Ships in 24-48 hours!

Pipe Marker Material Descriptions

Characteristic	HARSH ENVIRONMENT		General Purpose		
	Mechanically Applied		Mechanically Applied		Self-Sticking
	B-689 Wrap-Around Polyester	B-681/B-883 High Performance High Visibility	B-915 BradySnap-On™ and Strap-On Vinyl	B-946 Self-Sticking Vinyl	B-736 Self-Sticking Plastic Film
Plant Environment					
Indoor	Good	Good	Good	Good	Good
Avg. Outdoor Durability (yrs.)	5-8	5-8	5-8	3-5	2-3
Surface Abrasion Resistance	Good	Good	NR	NR	NR
Temperatures					
Min. Installation Temperature	40°F, 5°C	—	—	0°F, -18°C	50°F, 10°C
Upper Temperature Limit	248°F, 120°C	230°F, 110°C	180°F, 82°C	180°F, 82°C	212°F, 100°C
Lower Temperature Limit	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C
Pipe Surface					
Dirty, Dusty	Good	Good	Good	NR	NR
Rough	Good	Good	Good	Good	NR
Insulated	Good	Good	Good	Good	Good
Wet	Good	Good	Good	NR	NR
Greasy, Oily	Good	Good	Good	NR	NR
Chemical Resistance					
Organic Solvents (MEK, Acetone, Toluene)	NR	NR	NR	NR	NR
Acids (Sulfuric, HCL, Acetic)	Good	Good	NR	NR	Good
Alkalis (Sodium Hydroxide)	Good	Good	NR	NR	NR
Alcohols (Methanol, Isopropanol)	Good	Good	Good	Good	Good
Grease/Oils (SAE 20, ASTM #3)	Good	Good	Good	Good	Good
Special Properties					
Low PVC - Pipe contact point	Yes	Yes	No	No	No
Low PVC - Whole marker	No	Yes	No	No	No
Low Halogen - Pipe contact point	Yes	Yes	No	No	No
Low Halogen - Whole marker	No	Yes	No	No	No
Meets ASME (ANSI) A13.1	Yes	Yes	Yes	Yes	Yes

n/a = data not available NR = marker not recommended for environment listed Good = marker suitable for environment listed

Self-Sticking Pipe Markers



Self-Sticking Vinyl Pipe Markers

Factory applied industrial grade adhesives simplify marker installation. Simply peel the release coated paper backing from the marker and press the marker in place. Banding each end of the marker with Arrow Tape is recommended to indicate contents flow direction and to secure markers to the pipe.

- **B-946 Self-Sticking Vinyl**
A premium indoor/outdoor grade self-sticking marker product.
- **B-736 Plastic Film**
An economical roll form marker product (Pipe Markers-To-Go) designed for use in less demanding applications.
- **B-681 Polyester w/ Over Laminate**
Laminated polyester construction seal in and protect graphics great for wash-down areas.

Mechanically Applied Pipe Markers



BradySnap-On™ and Strap-On Vinyl

Unlike installing self-sticking markers, there's no need to clean pipe surfaces. Installation time is reduced. Markers are simply snapped, strapped or wrapped in place.

- **B-915 BradySnap-On™ and Strap-On Vinyl**
A mechanically applied, surface printed vinyl pipe marker. Snap-ons are used for pipes less than 6" outside diameter. Strap-ons are designed for pipes from 6" and greater



High Performance Pipe Markers

Brady High Performance Markers are designed for use in harsh environments where there's significant exposure to sunlight, heat, and/or chemicals.

- **B-689 High Performance Polyester**
PVF overlaminated polyester with sealed-in graphics. Markers are resistant to abrasion, chemicals, high humidity, and outdoor weathering. Supplied precoiled for easy wrap-around installation on pipes up to 7-7/8" in diameter
- **B-681/B-883 High Performance High Visibility**
B-681 labels are factory applied to our B-883 FRP carrier. Directional arrows are applied by the installer. Markers are fastened to the pipe with Stainless Steel Strapping, sold separately

Pipe Markers

www.BradyID.com/pipemarkers



Self-Sticking Vinyl Pipe Markers

- Markers meet the requirements of the ASME (ANSI) A13.1 Standard for the identification of piping system contents when used with Directional Flow Arrow Tape
- Durable B-946 material ideal for indoor and outdoor environments
- Supplied on a coated backing material that makes handling and installation easy
- Recommended to use Directional Flow Arrow Tape to indicate flow direction

How to order:

1. Choose the desired pipe marker legend below.
2. Replace the asterisk (*) with the style code from the chart on the right (1, 1HV, 3C or 4) to indicate your desired pipe marker size and style.
(Example: Air = 7005-3C)

Style and Size Chart

Style Code	Outside Diameter	Letter Height	Style Description	Style Example
Style: 1	2 1/2" to 7/8"	2"	One 2-1/4" x 14" marker per card	HEATING RETURN
Style: 1HV	8" or greater	3-1/2"	One 4" x 24" marker per card	HEATING RETURN
Style: 3C	less than 3/4"	1/2"	Three 2-1/4" x 2-3/4" markers per card plus 8 strips of Arrow Tape	
Style: 4	3/4" to 238"	3/4"	Four 1-1/8" x 7" markers per card	

Legends Chart

Catalog Number	Legend	Bkgd Color	Catalog Number	Legend	Bkgd Color	Catalog Number	Legend	Bkgd Color
7005 -*	AIR	Yellow	7089 -*	DOMESTIC HOT WATER SUPPLY	Yellow	7212 -*	PLANT AIR	Yellow
7006 -*	AIR	Blue	7090 -*	DRAIN	Green	7218 -*	POTABLE WATER	Yellow
7007 -*	AIR	Green	7107 -*	FIRE AUTO SPRINKLERS	Red	7224 -*	PROCESS WATER	Green
7010 -*	AIR SUPPLY	Blue	7110 -*	FIRE PROTECTION WATER	Red	7227 -*	PROPANE GAS	Yellow
7014 -*	AMMONIA	Yellow	7115 -*	FUEL OIL	Yellow	7229 -*	RAIN WATER	Green
7015 -*	ARGON	Green	7119 -*	GAS	Yellow	7235 -*	REFRIGERANT LIQUID	Yellow
7017 -*	ASBESTOS FREE	Blue	7121 -*	GLYCOL	Yellow	7242 -*	RETURN	Green
7018 -*	ASBESTOS FREE INSULATION	Blue	7122 -*	GLYCOL RETURN	Yellow	7244 -*	RETURN	Yellow
7019 -*	ASBESTOS INSULATION	Yellow	7123 -*	GLYCOL SUPPLY	Yellow	7247 -*	ROOF DRAIN	Green
7025 -*	BLANK	Yellow	7125 -*	HEATING RETURN	Yellow	7250 -*	SANITARY SEWER	Green
7045 -*	CHILLED WATER	Green	7127 -*	HEATING SUPPLY	Yellow	7251 -*	SANITARY SEWER	Yellow
7046 -*	CHILLED WATER RETURN	Green	7128 -*	HEATING WATER	Yellow	7252 -*	SANITARY VENT	Yellow
7047 -*	CHILLED WATER SUPPLY	Green	7129 -*	HEATING WATER RETURN	Yellow	7253 -*	SANITARY WASTE	Yellow
7054 -*	CITY WATER	Green	7130 -*	HEATING WATER SUPPLY	Yellow	7267 -*	SPRINKLER	Red
7055 -*	COLD WATER	Green	7137 -*	HIGH PRESSURE CONDENSATE	Yellow	7268 -*	SPRINKLER FIRE	Red
7058 -*	COMPRESSED AIR	Yellow	7146 -*	HOT WATER	Yellow	7269 -*	SPRINKLER WATER	Red
7059 -*	COMPRESSED AIR	Green	7147 -*	HOT WATER RECIRCULATION	Yellow	7270 -*	STEAM	Yellow
7060 -*	COMPRESSED AIR	Blue	7148 -*	HOT WATER RETURN	Yellow	7273 -*	STORM DRAIN	Green
7061 -*	CONDENSATE	Yellow	7149 -*	HOT WATER SUPPLY	Yellow	7274 -*	STORM SEWER	Green
7062 -*	CONDENSATE DRAIN	Yellow	7163 -*	INDUSTRIAL WATER	Green	7282 -*	SUPPLY	Green
7063 -*	CONDENSATE DRAIN	Green	7175 -*	LOW PRESSURE CONDENSATE	Yellow	7311 -*	SUPPLY	Yellow
7065 -*	CONDENSATE RETURN	Yellow	7179 -*	LOW PRESSURE STEAM	Yellow	7283 -*	TEMPERED WATER	Yellow
7067 -*	CONDENSER WATER	Green	7184 -*	MEDICAL AIR	Yellow	7285 -*	TOWER WATER	Green
7068 -*	CONDENSER WATER RETURN	Green	7186 -*	MEDICAL VACUUM	White	7291 -*	VACUUM	Yellow
7069 -*	CONDENSER WATER SUPPLY	Green	7190 -*	MEDIUM PRESSURE NATURAL GAS	Yellow	7292 -*	VACUUM	Green
7070 -*	COOLING WATER	Green	7196 -*	NATURAL GAS	Yellow	7295 -*	VENT	Yellow
7071 -*	COOLING WATER RETURN	Green	7198 -*	NITROGEN	Green	7296 -*	VENT	Green
7073 -*	DEIONIZED WATER	Green	7200 -*	NITROGEN	Blue	7298 -*	WASTE	Yellow
7084 -*	DOMESTIC COLD WATER	Green	7203 -*	NON-POTABLE WATER	Yellow	7299 -*	WASTE	Green
7086 -*	DOMESTIC COLD WATER SUPPLY	Green	7208 -*	OVERFLOW	Yellow	7303 -*	WATER	Yellow
7087 -*	DOMESTIC HOT WATER	Yellow	7210 -*	OXYGEN	Green	7304 -*	WATER	Green
7088 -*	DOMESTIC HOT WATER RETURN	Yellow	7209 -*	OXYGEN	Yellow			

Spanish Legends Chart

Legend	Bkgd Color	Style 1HV	Style 1	Style 4	Style 3C	Legend	Bkgd Color	Style 1HV	Style 1	Style 4	Style 3C
AGUA	Green	83596	83540	83576	83615	GAS	Yellow	83489	83432	83468	83505
AGUA DE REFRIGERACION	Green	83484	83424	83460	-	GAS NATURAL	Yellow	83585	83517	83553	83601
AGUA FRIA	Green	-	83418	83453	83498	HIDROGENO	Yellow	-	83510	83545	83598
AGUA POTABLE	Yellow	-	83522	83558	-	OXIGENO	Green	-	83520	83556	83604
AGUA REFRIGERADA	Green	83477	83414	83449	-	RESPIRADERO	Yellow	-	83537	83573	83612
AGUA PROTEC. PAPA INCENDIOS	Red	-	83430	83466	-	RETORNO DE AGUA REFRIGERADA	Green	83478	83415	83450	-
AIRE	Blue	-	83400	83436	-	SUMINISTRO AGUA REFRIGERADA	Green	83479	83416	83451	-
AIRE COMPRIMIDO	Blue	-	83421	83456	83501	VACIO USO MEDICO	White	-	83515	83551	83600
AIRE USO MEDICO	Yellow	-	83514	83550	83599	VAPOR	Yellow	83590	83530	83566	83607
CAUSTICA	Yellow	-	83413	83448	83496						
DESAGUE SANITARIO	Green	83589	83527	83563	-						

Roll Form Pipe Markers

- Eliminates need for precise measurement of pipe diameter -- simply cut to the size you need from 30' long roll
- B-946 material adheres to itself for easy wrap-around marker installation
- Legend repeats 65 times per roll
- Choose from more than 75 stock legends (go to www.bradyid.com for all legends) or customize your own legend
- Available in both 8" and 12" widths



Roll Form Pipe Markers wrap around the pipe and adhere to themselves.

Catalog Number		Legend	Bkgd Color
8" x 30'	12" x 30'		
41596	15505	Blank	Yellow
41597	15506	Blank	Green
41598	15507	Blank	Blue
41599	15508	Blank	Red
41532	15509	Blank (With Arrow)	Black/Yellow
41593	15502	ASBESTOS FREE	White/Blue
41518	15517	CHILLED WATER	White/Green
41522	15522	CITY WATER	White/Green
41512	15523	COLD WATER	White/Green
41455	15535	COMPRESSED AIR	Black/Yellow
41456	15536	COMPRESSED AIR	White/Blue
41521	15524	CONDENSATE	Black/Yellow
41457	15537	COOLING WATER	White/Green
41458	15538	DOMESTIC COLD WATER	White/Green
41459	15539	DOMESTIC HOT WATER	Black/Yellow
41461	15541	FIRE AUTO SPRINKLERS	White/Red

Catalog Number		Legend	Bkgd Color
8" x 30'	12" x 30'		
41462	15542	FIRE PROTECTION WATER	White/Red
41464	15544	GAS	Black/Yellow
41519	15534	HIGH PRESSURE STEAM	Black/Yellow
41510	15545	HOT WATER	Black/Yellow
41465	15582	HOT WATER RETURN	Black/Yellow
41466	15583	HOT WATER SUPPLY	Black/Yellow
41520	15550	LOW PRESSURE STEAM	Black/Yellow
41511	15556	NATURAL GAS	Black/Yellow
41472	15589	POTABLE WATER	White/Green
41514	15561	RETURN	Black/Yellow
41474	15591	SANITARY SEWER	Black/Yellow
41513	15567	STEAM	Black/Yellow
41516	15571	SUPPLY	Black/Yellow
41479	15596	VACUUM	Black/Yellow
41586	15576	WASTE WATER	Black/Yellow
41483	15600	___ LB STEAM	Black/Yellow

Pipe Markers-To-Go

- Made of economical B-736 surface printed plastic for use on smooth, clean, dry pipe surfaces
- Markers withstand temperatures from -40°F to 212°F
- Supplied in rolls of 25 identical markers and matching arrows
- Arrows may be applied to indicate flow in either direction
- Choose from nearly 90 stock legends (go to www.bradyid.com for all legends)
- Ideal for on-the-spot repair or replacement of damaged or missing markers



Each Pipe Marker-To-Go legend comes with a perforated flow arrow making it easy to indicate flow direction.

Catalog Number		Legend	Bkgd Color
1" x 8"	2" x 12"		
20401	73861	AIR	Blue
20408	73868	CHILLED WATER RETURN	Green
20409	73869	CHILLED WATER SUPPLY	Green
20411	73871	CITY WATER	Green
20412	73872	COLD WATER	Green
20415	73875	COMPRESSED AIR	Blue
20416	73877	COMPRESSED AIR	Yellow
20417	73878	CONDENSATE	Yellow
20421	73882	CONDENSER WATER RETURN	Green
20422	73883	CONDENSER WATER SUPPLY	Green
20425	73886	DOMESTIC COLD WATER	Green
20426	73887	DOMESTIC HOT WATER	Yellow
20431	73892	FUEL OIL	Yellow
20433	73894	GLYCOL	Yellow
20435	73896	HEATING RETURN	Yellow
20436	73897	HEATING SUPPLY	Yellow

Catalog Number		Legend	Bkgd Color
1" x 8"	2" x 12"		
20440	73901	HOT WATER	Yellow
20441	73902	HOT WATER RETURN	Yellow
20442	73903	HOT WATER SUPPLY	Yellow
20449	73910	NATURAL GAS	Yellow
20450	73911	NITROGEN	Green
20452	73913	NON-POTABLE WATER	Yellow
20456	73917	POTABLE WATER	Green
20457	73918	PROPANE GAS	Yellow
20466	73927	SPRINKLER FIRE	Red
20468	73929	STEAM	Yellow
20480	73941	WASTE WATER	Green
20481	73942	WATER	Green
20487	73948	ARROW	Yellow
20488	73949	ARROW	Green
20489	73950	ARROW	Blue
20490	73951	ARROW	Red

Pipe Markers

www.BradyID.com/pipemarkers



BradySnap-On™ Pipe Markers

- Designed for general purpose pipe identification on pipes that have an outside diameter between 3/4" and 6" (including insulation)
- May be applied to dirty, oily, greasy or rough surfaces
- Meet ASME (ANSI) Standard
- Lightweight coiled plastic can removed and reapplied







Strap-On Pipe Markers

- Designed for general purpose pipe identification on pipes that have a 6" or larger diameter (including insulation)
- May be applied to dirty, oily, greasy or rough surfaces
- Can be removed and reapplied in other areas
- Strap-On Pipe Marker styles F - H include nylon straps




How to order:

1. Choose the desired pipe marker legend below.
2. Replace the asterisk (*) with the style code (A, B, C, D, F, G or H) from the size charts below to indicate your desired pipe marker size and style. (Example: Air = 4001-H)

BradySnap-On™ Pipe Marker Style and Size Chart

Style Code	Outside Diameter	Letter Height
Style: A 	3/4" to 1-3/8"	1/2"
Style: B 	1-1/2" to 2-3/8"	3/4"
Style: C 	2-1/2" to 3-7/8"	1-1/4"
Style: D 	4" to 6"	1-1/4"

Strap-On Pipe Marker Style and Size Chart

Style Code	Outside Diameter	Letter Height
Style: F 	6" to 7-7/8"	1-1/4"
Style: G 	8" to 9-7/8"	2-1/2"
Style: H 	10" to 15"	3-1/2"


BradySnap-On™ and Strap-On Markers Legend Chart

Catalog Number	Legend	Bkgd Color	Catalog Number	Legend	Bkgd Color	Catalog Number	Legend	Bkgd Color
4001 - *	AIR	Green	4185 - *	FIRE MAIN	Red	4103 - *	OIL	Yellow
4002 - *	AIR	Blue	4060 - *	FIRE PROTECTION WATER	Red	4105 - *	OXYGEN	Yellow
4003 - *	AIR	Yellow	4064 - *	FUEL OIL RETURN	Yellow	4106 - *	OXYGEN	Green
4162 - *	ARGON	Blue	4065 - *	FUEL OIL SUPPLY	Yellow	4107 - *	OXYGEN	Blue
4006 - *	ARGON	Green	4067 - *	GAS	Yellow	4108 - *	PLANT AIR	Yellow
4007 - *	ASBESTOS FREE	Blue	4070 - *	HEATING RETURN	Yellow	4110 - *	PLUMBING VENT	Green
4010-A	(BLANK)	Yellow	4071 - *	HEATING SUPPLY	Yellow	4111 - *	POTABLE WATER	Green
4012-A	(BLANK)	Red	4072 - *	HEATING WATER RETURN	Yellow	4113 - *	PROCESS WATER	Green
4019 - *	CARBON DIOXIDE	Yellow	4073 - *	HEATING WATER SUPPLY	Yellow	4114 - *	PROPANE GAS	Yellow
4020 - *	CAUSTIC	Yellow	4074 - *	HELIUM	Green	4119 - *	RETURN	Yellow
4022 - *	CHILLED WATER	Green	4075 - *	HIGH PRESSURE AIR	Yellow	4121 - *	ROOF DRAIN	Green
4023 - *	CHILLED WATER RETURN	Green	4076 - *	HIGH PRESSURE CONDENSATE	Yellow	4122 - *	SANITARY DRAIN	Green
4024 - *	CHILLED WATER SUPPLY	Green	4077 - *	HIGH PRESSURE STEAM	Yellow	4123 - *	SANITARY SEWER	Green
4028 - *	CITY WATER	Green	4078 - *	HIGH PRESSURE WATER	Yellow	4270 - *	SERVICE WATER	Green
4029 - *	COLD WATER	Green	4197 - *	HOT	Yellow	4124 - *	SODIUM HYPOCHLORITE	Yellow
4032 - *	COMPRESSED AIR	Yellow	4079 - *	HOT WATER	Yellow	4127 - *	SPRINKLER FIRE	Red
4033 - *	COMPRESSED AIR	Green	4081 - *	HOT WATER RETURN	Yellow	4128 - *	SPRINKLER WATER	Red
4034 - *	COMPRESSED AIR	Blue	4082 - *	HOT WATER SUPPLY	Yellow	4129 - *	STEAM	Yellow
4035 - *	CONDENSATE	Yellow	4083 - *	HYDRAULIC LINE	Yellow	4132 - *	STORM DRAIN	Green
4036 - *	CONDENSATE DRAIN	Yellow	4199 - *	HYDRAULIC OIL	Yellow	4134 - *	STORM WATER	Green
4037 - *	CONDENSATE RETURN	Yellow	4085 - *	HYDROCHLORIC ACID	Yellow	4136 - *	SULFURIC ACID	Yellow
4043 - *	COOLING WATER RETURN	Green	4086 - *	HYDROGEN	Yellow	4140 - *	TEMPERED WATER	Yellow
4044 - *	COOLING WATER SUPPLY	Green	4089 - *	INSTRUMENT AIR	Blue	4143 - *	TOWER WATER RETURN	Green
4046 - *	DEIONIZED WATER	Green	4225 - *	LAB VENT	Yellow	4146 - *	VACUUM	Yellow
4172 - *	DEIONIZED WATER RETURN	Green	4226 - *	LAB WASTE	Yellow	4147 - *	VACUUM	Green
4173 - *	DEIONIZED WATER SUPPLY	Green	4091 - *	LOW PRESSURE CONDENSATE	Yellow	4148 - *	VENT	Yellow
4048 - *	DOMESTIC COLD WATER	Green	4092 - *	LOW PRESSURE STEAM	Yellow	4150 - *	VENT	Green
4050 - *	DOMESTIC COLD WATER SUPPLY	Green	4097 - *	NATURAL GAS	Yellow	4151 - *	WASTE	Yellow
4051 - *	DOMESTIC HOT WATER	Yellow	4247 - *	NITRIC ACID	Yellow	4152 - *	WASTE WATER	Yellow
4052 - *	DOMESTIC HOT WATER RETURN	Yellow	4098 - *	NITROGEN	Yellow	4153 - *	WASTE WATER	Green
4053 - *	DOMESTIC HOT WATER SUPPLY	Yellow	4099 - *	NITROGEN	Green	4155 - *	WATER	Green
4055 - *	DRAIN	Green	4100 - *	NITROGEN	Blue			
4059 - *	FIRE AUTO SPRINKLERS	Red	4102 - *	NON-POTABLE WATER	Yellow			



B-689 High Performance Pipe Markers

- PVF overlaminated polyester construction seals in and protects graphics
- Markers resist abrasion, chemicals, high humidity and outdoor weathering
- Pre-coiled for easy wrap-around installation on pipe up to 7-7/8" in diameter



B-681/B-883 High Performance, High Visibility (HPHV) Markers

- Ideal for pipes 8" and larger in diameter
- Overlaminated graphics are factory applied to a fiberglass plastic carrier
- Easy strap-on installation of fiberglass plastic carrier
- Includes two Heavy-Duty Mounting Clips that apply to pipe using Continuous Stainless Steel Strapping (sold separately)

How to order:

1. Choose the desired pipe marker legend below.
2. Replace the asterisk (*) with the style code (0, I, II, or HPHV) from the size charts below to indicate your desired pipe marker size and style. (Example: Air = 4001-H)

High Performance Pipe Markers Style and Size Chart

Style Code	Outside Dia.	Letter Height	Max Char.
Style: 0	1/2" to 1-3/8"	1/2"	22
Style: I	1-1/2" to 2-3/8"	3/4"	13
Style: II	2-1/2" to 7-7/8"	1-1/4"	13

HPHV Pipe Markers Style and Size Chart

Style Code	Outside Dia.	Letter Height	Max Char.
Style: HPHV	8" or larger	3-1/2"	16

High Performance Pipe Markers

Catalog Number	Legend	Bkgd Color
5600 - *	(BLANK LABEL)	Blue
5601 - *	(BLANK LABEL)	Green
5602 - *	(BLANK LABEL)	Red
5603 - *	(BLANK LABEL)	Yellow
5609 - *	60# STEAM	Yellow
5614 - *	150# STEAM	Yellow
5625 - *	AIR	Blue
5631 - *	anhydrous ammonia	Yellow
5634 - *	BLACK LIQUOR	Yellow
5636 - *	BOILER BLOWDOWN	Yellow
5637 - *	BOILER FEED WATER	Yellow
5643 - *	CAUSTIC	Yellow
5645 - *	CHEMICAL FEED	Yellow
5646 - *	CHILLED WATER	Green
5647 - *	CHILLED WATER RETURN	Green
5648 - *	CHILLED WATER SUPPLY	Green
5655 - *	CITY WATER	Green
5660 - *	COMPRESSED AIR	Blue
5661 - *	COMPRESSED AIR	Yellow
5662 - *	CONDENSATE	Yellow
5663 - *	CONDENSATE DRAIN	Green
5664 - *	CONDENSATE RETURN	Yellow
5665 - *	CONDENSER WATER RETURN	Green
5668 - *	COOLING WATER	Green
5672 - *	DEMIN. WATER	Green
5673 - *	DOMESTIC COLD WATER	Green
5675 - *	DOMESTIC HOT WATER	Yellow

Catalog Number	Legend	Bkgd Color
5676 - *	DOMESTIC HOT WATER RETURN	Yellow
5678 - *	DRAIN	Green
5679 - *	DRAIN	Yellow
5688 - *	FIRE PROTECTION	Red
5689 - *	FIRE PROTECTION WATER	Red
5690 - *	FLOOR DRAIN	Yellow
5691 - *	FOUL CONDENSATE	Yellow
5694 - *	#6 FUEL OIL	Yellow
5695 - *	FUEL OIL	Yellow
5696 - *	FUEL OIL RETURN	Yellow
5697 - *	FUEL OIL SUPPLY	Yellow
5699 - *	GREEN LIQUOR	Yellow
5701 - *	HEATING SUPPLY	Yellow
5702 - *	HEATING WATER RETURN	Yellow
5703 - *	HEATING WATER SUPPLY	Yellow
5706 - *	HIGH PRESSURE STEAM	Yellow
5707 - *	HOT WATER	Yellow
5711 - *	HYDRAULIC OIL	Yellow
5716 - *	INSTRUMENT AIR	Blue
5719 - *	LOW PRESSURE CONDENSATE	Yellow
5720 - *	LOW PRESSURE STEAM	Yellow
5722 - *	MAKE-UP WATER	Green
5723 - *	MEDIUM PRESSURE STEAM	Yellow
5724 - *	MILL AIR	Blue
5725 - *	MILL WATER	Green
5726 - *	NATURAL GAS	Yellow
5727 - *	NITRIC ACID	Yellow

Catalog Number	Legend	Bkgd Color
5728 - *	NITROGEN	Green
5729 - *	NITROGEN	Yellow
5730 - *	NON-POTABLE WATER	Yellow
5736 - *	OXYGEN	Yellow
5738 - *	PLANT AIR	Yellow
5739 - *	PLANT WATER	Green
5744 - *	POTABLE WATER	Green
5746 - *	PROCESS WATER	Yellow
5747 - *	PROCESS WATER	Green
5750 - *	RAW WATER	Green
5754 - *	ROOF DRAIN	Green
5755 - *	SANITARY SEWER	Yellow
5758 - *	SEAL WATER	Green
5761 - *	SODIUM HYPOCHLORITE	Yellow
5765 - *	SPRINKLER WATER	Red
5767 - *	STEAM	Yellow
5769 - *	STORM DRAIN	Green
5774 - *	SULFURIC ACID	Yellow
5776 - *	TURPENTINE	Yellow
5777 - *	VACUUM	Green
5780 - *	VENT	Green
5781 - *	VENT	Yellow
5782 - *	WARM MILL WATER	Green
5784 - *	WASTE WATER	Yellow
5786 - *	WATER	Green
5787 - *	WATER	Yellow
5790 - *	Well Water	Green



OSHA Federal Regulation 29 CFR 1910.261

"Pulp, Paper and Paperboard Mills" - This regulation applies to plants where pulp, paper and paperboard are converted. "All chlorine, caustic and acid lines shall be marked for positive identification in accordance with ASME (ANSI) Standard A13.1.

Pipe Markers

www.BradyID.com/pipemarkers

Stock IIAR Pipe Markers

- Recommended for use in labeling ammonia piping and its contents
- Choose the material that best meets your application requirements: High Performance Polyester or Indoor/Outdoor Self-Sticking Vinyl
- Meets IIAR Standard



A uniform method of pipe identification, such as this one utilizing IIAR Pipe Markers, helps create a safer, more productive work environment.

High Performance Polyester

Catalog #		Legend		Physical State		Pressure Level	
B-689 Size I	B-689 Size II	B-681/B-883 HPHV	IIAR Abbreviation	Physical State	Pressure Level	Legend	
57960	57980	59919	BD	VAP	LOW	Ammonia	
57961	57981	59920	CD	LIQ	HIGH	Ammonia	
57962	57982	59921	DC	LIQ	HIGH	Ammonia	
57963	57983	59922	ES	VAP	LOW	Ammonia	
58014	58017	59982	EQ	LIQ/VAP	LOW	Ammonia	
57964	57984	59923	HG	VAP	HIGH	Ammonia	
57965	57985	59924	HGD	VAP	HIGH	Ammonia	
57966	57986	59925	HPL	LIQ	HIGH	Ammonia	
57967	57987	59926	HSD	VAP	HIGH	Ammonia	
57968	57988	59927	HSS	VAP	LOW	Ammonia	
57969	57989	59928	HTRL	LIQ	LOW	Ammonia	
57970	57990	59929	HTRS	LIQ/VAP	LOW	Ammonia	
57971	57991	59930	HTS	VAP	LOW	Ammonia	
57972	57992	59931	LIC	LIQ	HIGH	Ammonia	
57973	57993	59932	LSS	VAP	LOW	Ammonia	
57974	57994	59933	LTRL	LIQ	LOW	Ammonia	
57975	57995	59934	LTRS	LIQ/VAP	LOW	Ammonia	
57976	57996	59935	LTS	VAP	LOW	Ammonia	
58012	58015	59980	PO	LIQ	LOW	Ammonia	
58013	58016	59981	PU	LIQ	HIGH	Ammonia	
57977	57997	59936	RV	VAP	HIGH	Ammonia	
57978	57998	59937	TSR	LIQ/VAP	HIGH	Ammonia	
57979	57999	59938	TSS	LIQ	HIGH	Ammonia	
58000	58006	59939	BLANK	LIQ	HIGH	Ammonia	
58001	58007	59940	BLANK	VAP	HIGH	Ammonia	
58002	58008	59941	BLANK	LIQ/VAP	HIGH	Ammonia	
58003	58009	59942	BLANK	LIQ	LOW	Ammonia	
58004	58010	59943	BLANK	VAP	LOW	Ammonia	
58005	58011	59944	BLANK	LIQ/VAP	LOW	Ammonia	



Self-Sticking Asbestos Warning Pipe Markers

- Identify asbestos or asbestos free pipes
- Made with B-946 self-sticking vinyl

Catalog #		Legend		Text/Bkgnd	
Style 1HV 4" x 24"	Style 1 2-1/4" x 14"	Legend		Text/Bkgnd	
97542	97543	CAUTION ASBESTOS		Black/Yellow	
97544	97545	DANGER ASBESTOS		Black/Yellow	
97597	97626	NO ASBESTOS		White/Blue	
97627	97628	CAUTION ASBESTOS HAZARD DO NOT DISTURB WITHOUT PROPER TRAINING AND EQUIPMENT		Black/Yellow	



B-946 Self-Sticking Vinyl Duct Markers

- Color-coded markers make it easy to differentiate between different air systems
- Markers come complete with detachable arrows which can be applied in any direction

Catalog #		Legend		Text/Bkgnd	
2-1/4" x 13-1/4"	4" x 20-1/2"	Legend		Text/Bkgnd	
98356	98490	EXHAUST		Black/Yellow	
98357	98491	EXHAUST AIR		Black/Yellow	
98358	98492	INTAKE		Black/Yellow	
98368	98493	OUTSIDE AIR		White/Blue	
98378	98494	RELIEF		Black/Yellow	
98487	98495	RELIEF AIR		White/Blue	
98488	98496	RETURN AIR		White/Blue	
98489	98497	SUPPLY AIR		White/Blue	

Food Industry Self Sticking Pipe Markers

- B-681 Polyester with protective overlaminates in & protects graphics
- Industrial grade self-adhesive protects against bacteria or moisture
- All Stock Markers Meet ASME (ANSI) when used with Arrow Tape
- For clean room applications, the material liner should be removed prior to entering the clean room.



Catalog #				Legend	Color
Style 1HV	Style 1	Style 4	Style 3C		
105735	105736	105737	105738	Boiler Feedwater	Black/Yellow
105739	105740	105741	105742	Carbon Dioxide	Black/Yellow
105743	105744	105745	105746	Chlorine Water	Black/Yellow
105747	105748	105749	105750	Condensate Return	Black/Yellow
105751	105752	105753	105754	DC LIQ Ammonia HIGH	Black/Yellow
105755	105756	105757	105758	Diesel Fuel	Black/Yellow
105759	105760	105761	105762	Glycol Return	Black/Yellow
105763	105764	105765	105766	Glycol Supply	Black/Yellow
105767	105768	105769	105770	HGD LIQ Ammonia HIGH	Black/Yellow
105771	105772	105773	105774	High Pressure Steam	Black/Yellow
105775	105776	105777	105778	Hot Water Return	Black/Yellow
105779	105780	105781	105782	Hot Water Supply	Black/Yellow
105783	105784	105785	105786	HTRL LIQ Ammonia LOW	Black/Yellow
105787	105788	105789	105790	HTRS LIQ VAP Ammonia LOW	Black/Yellow
105791	105792	105793	105794	LSS VAP Ammonia LOW	Black/Yellow
105795	105796	105797	105798	LTRL LIQ Ammonia LOW	Black/Yellow
105799	105800	105801	105802	LTRS LIQ VAP Ammonia LOW	Black/Yellow
105803	105804	105805	105806	Natural Gas	Black/Yellow
105807	105808	105809	105810	Compressed Air	White/Blue
105811	105812	105813	105814	Vacuum	White/Blue
106063	106064	106065	106066	Abandoned	White/Green
106067	106068	106069	106070	City Water	White/Green
106071	106072	106073	106074	Condensate Drain	White/Green
106075	106076	106077	106078	Condenser Water Return	White/Green
106079	106080	106081	106082	Condenser Water Supply	White/Green
106083	106084	106085	106086	Cooking Oil	White/Green
106087	106088	106089	106090	Cooling Water Return	White/Green
106091	106092	106093	106094	Cooling Water Supply	White/Green
106095	106096	106097	106098	Corn Oil	White/Green
106099	106100	106101	106102	Domestic Cold Water	White/Green
106103	106104	106105	106106	Domestic Hot water	White/Green
106107	106108	106109	106110	Drain	White/Green
106111	106112	106113	106114	Frying Oil - New	White/Green
106115	106116	106117	106118	High Pressure Water	White/Green
106119	106120	106121	106122	Non-Potable Chilled Water Return	White/Green
106123	106124	106125	106126	Non-Potable Chilled Water Supply	White/Green
106127	106128	106129	106130	Non-Potable Water	White/Green
106131	106132	106133	106134	Potable Chilled Water Return	White/Green
106135	106136	106137	106138	Potable Chilled Water Supply	White/Green
106139	106140	106141	106142	Potable Heat Reclaim	White/Green
106143	106144	106145	106146	Potable Water	White/Green
106147	106148	106149	106150	Potable Water - Cold	White/Green
106151	106152	106153	106154	Potable Water - Hot	White/Green
106155	106156	106157	106158	Salad Oil	White/Green
106159	106160	106161	106162	Virgin Oil	White/Green
106163	106164	106165	106166	Sprinkler Water	White/Red



Food Industry Pipe Banding Tape

- B-302 self sticking vinyl with protective overlaminante
- For clean room applications the material liner should be removed prior to entering the clean room.
- All Stock Markers Meet ASME (ANSI) when used with standard pipe marker

Roll Size	Red	Green	Blue	Yellow
1" X 30 yards	106167	106170	106173	106176
2" X 30 yards	106168	106171	106174	106177
3" X 30 yards	106169	106172	106175	106178

Pipe Markers

www.BradyID.com/pipemarkers



Banding pipes with Directional Flow Arrow Tape can enhance safety and improve operating efficiency.



B-946 Arrow Tape

Roll Size	Black/Yellow	White/Green	White/Red	White/Blue	Black/Green	Black/White	Black/Orange	Black/Gray
1" x 30 yds (1440 Arrows Per Roll)	91424	91425	91426	91427	91412	91413	91414	91415
2" x 30 yds (720 Arrows Per Roll)	91420	91421	91422	91423	91416	91417	91418	91419
4" x 30 yds (270 Arrows Per Roll)	91287	91290	91288	91289	91408	91409	91410	91411

B-946 Arrow Tape

- Durable B-946 material withstands the elements indoors or out
- Provides 360° visibility
- Supplied in liner-mounted rolled form - use two bands per marker

Roll Calculation Guide

Pipe Dia.	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"
Qty of Color Bands Per Roll	260	150	100	80	60	50	40	35	30	30



Solid Color Pipe Banding Tape provides 360° visibility to improve safety and operational efficiency.



B-946 Solid Color Pipe Banding Tape


- Durable for indoor or outdoor use while providing 360° visibility
- Meets ASME color field size recommendation when used in combination with worded legends and directional flow arrows
- Supplied in liner-mounted rolled form - use two bands per marker

Roll Calculation Guide

Pipe Dia.	1"	2"	3"	4"	5"	6"	7"	8"	9"	10"
Qty of Color Bands Per Roll	260	150	100	80	60	50	40	35	30	30

B-946 Solid Color Pipe Banding Tape

Roll Size	Yellow	Green	Red	Blue	Orange	White	Brown	Black	Gray	Purple	Clear
1" x 30 yds	36301	36304	36302	36303	91428	91429	36305	36306	36307	36308	36309
2" x 30 yds	55260	55263	55261	55262	91430	91431	36310	36311	36312	36313	36314
4" x 30 yds	36287	36290	36288	36289	91432	91433	36315	36316	36317	36318	36319



Single Arrow Legend



Double Arrow Legend

Self Sticking Vinyl Arrows

- Durable B-946 material withstands the elements indoors or out
- Mounted on easy-to-use dispenser cards
- Use Self-Sticking Vinyl Arrows along with Pipe Markers to identify directional flow of pipe contents.

Style 2HV Fits pipe diameter over 6" Two 4" x 12" Markers/Card		Style 2 Fits pipe diameter 3" or larger Two 2-1/2" x 7" Markers/Card		Style 4 Fits pipe diameter 1" to 2-1/4" Four 1-1/8" x 7" Markers/Card		Color
Single Arrow	Double Arrow	Single Arrow	Double Arrow	Single Arrow	Double Arrow	
93390	93391	76507	76514	93242	93243	Yellow/Black
93392	-	76502	76509	93247	93248	Blue/White
93394	93395	76505	76512	93252	-	Red/White
93396	93397	76503	76510	93257	93258	Green/White
-	-	76504	-	93262	-	Orange/Black
-	-	76506	-	93267	-	White/Black
-	-	76501	-	93272	-	Aluminum/Black



Tape Strip Rolls

- Use to re-secure wrap-around pipe markers should they become damaged need to be moved


Catalog #	Description
59945	2" x 10 yards Tape Strip Roll
59946	2" x 30 yards Tape Strip Roll



Bradylock™ Fastener

- Self-locking heavy duty plastic fastener for Strap-On Markers
- Excellent chemical resistance

Catalog #	Description
41772	1/2" x 150' Bradylock Fastener



Heavy-Duty Mounting Clips

- For use with HPHV pipe markers

Catalog #	Description	Qty
42335	Heavy Duty Clip	1 each

Custom Pipe Marker Order Form

Order Quote Artwork Attached Ship Via: _____ P.O. # or Request # : _____

General Information - Fax completed form to your local distributor

Company Name: _____ Name: _____
 Address1: _____ Phone #: _____
 Address2: _____ Fax #: _____
 City: _____ State: _____ Zip: _____
 Email: _____

Distributor Information - Fax completed form to your local distributor

Distributor: _____ Contact Name: _____
 Account: _____ Fax #: _____ Phone #: _____

Pipe Marker Options

B-946 Self-Sticking	
Style Code	Pipe Outside Diameter
3c - (3mrks/card)	Less than 3/4" OD
4 - (4mrks/card)	3/4" to 2-3/8"
1	2-1/2 to 7-7/8" OD
1HV	8" or larger OD

Arrows sold separately.

Brady Snap-On	
Style Code	Pipe Outside Diameter
A	3/4" to 1-3/8" OD
B	1-1/2" to 2-3/8" OD
C	2-1/2" to 3-7/8" OD
D	4" to 6" OD
F	6 to 7-7/8" OD
G	8" to 9-7/8" OD
H	10" to 15" OD

B-689 High Performance	
Style Code	Pipe Outside Diameter
O	1/2" to 1-3/8" OD
I	1-1/2" to 2-3/8" OD
II	2-1/2" to 7-7/8" OD
III	8" to 10" OD
IV	10" or larger to 16" OD
V	16" or larger to 22" OD
VI	22" or larger to 26" OD

B-946 Semi Conductor & Chemical	
Style Code	Marker Size
28	1/2" x 2-1/4"

Cable Style	
Style Code	Pipe Outside Diameter
CABLE	3/4" to 5/8" OD

B-681 / B-883 High Performance (HPHV)	
Style Code	Pipe Outside Diameter
HPHV	8" or larger OD

Markers printed with arrows.

Custom Orders

Legend Line 1	Color* (Text / Bkgd)	Pipe Marker Style Code	Material	Quantity
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

* Brady standard pipe markers colors are: Yellow, Green, Red, Blue, White, Grey, Brown, Orange, Black, Purple and Clear. Custom colors are available.

Valve Tags

www.BradyID.com/pipemarkers

Tag Materials

A. Durable Plastic Tags (B-418)

Colorful Plastic Tag has recess on both sides to apply printed label. Non-corrosive and lightweight.

B. Aluminum (B-906)

Type 3003-H14 material has been anodized, dyed, and sealed. These tags allow you to color code by content, system or service. Stock blank tags and custom engraved tags are available.

C. Fiberglass (B-120)

Fiberglass Reinforced Plastic Tags feature graphics embedded within a fiberglass/resin package. Fifteen year outdoor durability.

D. & J. HEET Tag (B-748)

Designed for use in the most severe environments, this tag construction features overlaminated polyester label graphics permanently bonded to a stainless steel base plate. You have complete flexibility in tag graphics design. Large type, small type, bold type, bar codes, valve numbers, operating instructions, etc. can all be included in your tag text at no extra cost. Optional protective tag covers are available to assure readability even when covered with paint.

E. Stainless Steel

Stock blank tags are offered for on-site engraving or custom tags can be pre-stamped by the factory. Pre-stamped tags may be black filled for easier readability. Equipment tags (which may include a bar code) are surface coated with ink and then engraved.

F. 3-ply Engraved (B-1)

A rigid laminate, which has tag text engraved through a colored cap sheet to a contrasting colored base sheet, provides bright color coding options for the custom wording you've selected.

G. Brass (B-907)

Made from 19 gauge cartridge brass (40 mils thick) and used for general purpose valve identification. These tags are available in standard 1 1/2" and 2" round and square styles. You can purchase blank tags and stamp or engrave them yourself, or you can select from our large list of stock pre-stamped items shown on the next page.



Choose a valve tag that best suits your needs. Tags are available in the following materials: (A) Plastic Tag, (B) Aluminum, (C) Fiberglass, (D) Sheathed HEET Tag, (E) Stainless Steel, (F) 3-Ply Engraved, (G) Brass, (H) Teflon, (I) Laminated, (J) HEET Tag, (K) Poly-tag and (L) Polyester Tag.

H. Teflon Coated Aluminum (B-541)

Anodized aluminum printed with black text and coated with Teflon®. Recommended for use in dirty environments. Tags can be painted over, yet wipe off easily so they can be read.

I. Laminated (B-911)

Preprinted paper with colored borders thermally sealed in a polyester pouch help you to establish or maintain your color coding system.

K. Polyurethane Valve Tags (B-462)

For a durable valve tag that can withstand extreme conditions and temperatures from -40°F to +250°F, try our Poly-Tag Valve Tags. Tags are made of multi-purpose polyurethane that is heat stamped with the numbering or lettering of your choice. Four tag styles are available. Each style may be fastened with wire, S-hooks and chain, or nylon ties. The chemical composition of the tag makes it ideal for outdoor use and on small diameter pipes when chlorides are not to come in contact with the pipe.


L. Polyester (B-851)

Grommeted heavy duty polyester tags withstand moisture, grease and dirt. Average Outdoor Durability: 3-5 years (Average Expected outdoor life of product will depend on user definition of failure, climate conditions)

Valve Tag Material Selection Guide

Characteristic	High Performance				General Purpose				
	B-748 HEET Tag	B-541 Teflon	B-120 Fiberglass	B-418 Plastic Tag	B-907 Brass	B-906 Aluminum	Engraved Stainless Steel	B-1 3-Ply Engraved	B-911 Laminated
Plant Environment									
Indoor	Good	Good	Good	Good	Good	Good	Good	Good	Good
Avg. Outdoor Durability (yrs.)	7-May	up to 10	15	**5-7	6-Mar	up to 2	7-May	8-May	4-Feb
Surface Abrasion Resistance	Good	Good	Good	Good	Good	Good	Good	Good	Good
Temperatures									
Upper Limit	248°F, 120°C	500°F, 260°C	193°F, 89°C	260°F, 127°C	233°F, 113°C	233°F, 113°C	233°F, 113°C	193°F, 89°C	250°F, 121°C
Lower Limit	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	-40°F, -40°C	n/a	-40°F, -40°C	n/a
Special Properties									
Bar Coding Available	Yes	Yes	No	Yes	No	No	No	No	No
Protective Covering Available	Yes	No	No	Yes	No	No	No	No	No

** Includes overlaminate n/a - data not available.



B-907 Stock Stamped Brass Valve Tags

- 19 gauge cartridge brass (40 mils thick)
- 1-1/2" diameter
- Black filled text for easy readability
- Standard package: 25 identical tags

Stock Stamped Brass Valve Tags

1. In the first column, find the desired service abbreviation text (top line 1 of your tag).
2. Follow the row across to find the stock number for your serial sequence (bottom line 2 of your tag).

Top Line Text	Bottom Line Number Sequence																			
	1-25	26-50	51-75	76-100	101-125	126-150	151-175	176-200	201-225	226-250	251-275	276-300	301-325	326-350	351-375	376-400	401-425	426-450	451-475	476-500
(Blank)	23200	23201	23202	23203	23204	23205	23206	23207	23208	23209	23617	23618	23619	23620	23621	23622	23623	23624	23625	23626
AC	23272	23273	23274	23275	23480	23481	23482	23483	23484	23485	23486	23487	23488	23489	23490	23491	23492	23493	23494	23495
CA	87460	87461	87462	87463	87464	87465	87466	87467	87468	87469	87470	87471	87472	87473	87474	87475	87476	87477	87478	87479
CHW	23516	23517	23518	23519	23520	23521	23522	23523	23524	23525	23526	23527	23528	23529	23530	23531	23532	23533	23534	23535
CHWR	23596	23597	23598	23599	23600	23601	23602	23603	23604	23605	23606	23607	23608	23609	23610	23611	23612	23613	23614	23615
CHWS	23576	23577	23578	23579	23580	23581	23582	23583	23584	23585	23586	23587	23588	23589	23590	23591	23592	23593	23594	23595
COND	23647	23648	23649	23650	23651	23652	23653	23654	23655	23656	23657	23658	23659	23660	23661	23662	23663	23664	23665	23666
CW	23256	23257	23258	23259	23400	23401	23402	23403	23404	23405	23406	23407	23408	23409	23410	23411	23412	23413	23414	23415
CWR	87100	87101	87102	87103	87104	87105	87106	87107	87108	87109	87110	87111	87112	87113	87114	87115	87116	87117	87118	87119
CWS	87120	87121	87122	87123	87124	87125	87126	87127	87128	87129	87130	87131	87132	87133	87134	87135	87136	87137	87138	87139
DCW	87200	87201	87202	87203	87204	87205	87206	87207	87208	87209	87300	87302	87303	87304	87305	87306	87307	87308	87309	87310
DCWR	87331	87332	87333	87334	87335	87336	87337	87338	87339	87340	87341	87342	87343	87344	87345	87346	87347	87348	87349	87350
DCWS	87371	87372	87373	87374	87375	87376	87377	87378	87379	87380	87381	87382	87383	87384	87385	87386	87387	87388	87389	87942
DHW	87180	87181	87182	87183	87184	87185	87186	87187	87188	87189	87190	87191	87192	87193	87194	87195	87196	87197	87198	87199
DHWR	87311	87312	87313	87314	87315	87316	87317	87318	87319	87320	87321	87322	87323	87324	87325	87326	87327	87328	87329	87330
DHWS	87351	87352	87353	87354	87355	87356	87357	87358	87359	87360	87361	87362	87363	87364	87365	87366	87367	87368	87369	87370
FP	23667	23668	23669	23670	23671	23672	23673	23674	23675	23676	23677	23678	23679	23680	23681	23682	23683	23684	23685	23686
GAS	23264	23265	23266	23267	23448	23449	23450	23451	23452	23453	23454	23455	23456	23457	23458	23459	23460	23461	23462	23463
HPS	44720	44721	44722	44723	44724	44725	44726	44727	44728	44729	44730	44731	44732	44733	44734	44735	44736	44737	44738	44739
HTG	23268	23269	23270	23271	23464	23465	23466	23467	23468	23469	23470	23471	23472	23473	23474	23475	23476	23477	23478	23479
HW	23276	23277	23278	23279	23416	23417	23418	23419	23420	23421	23422	23423	23424	23425	23426	23427	23428	23429	23430	23431
HWR	23536	23537	23538	23539	23540	23541	23542	23543	23544	23545	23546	23547	23548	23549	23550	23551	23552	23553	23554	23555
HWS	23556	23557	23558	23559	23560	23561	23562	23563	23564	23565	23566	23567	23568	23569	23570	23571	23572	23573	23574	23575
HVAC	87140	87141	87142	87143	87144	87145	87146	87147	87148	87149	87150	87151	87152	87153	87154	87155	87156	87157	87158	87159
LPC	87390	87391	87392	87393	87394	87395	87396	87397	87398	87399	87400	87401	87402	87403	87404	87405	87406	87407	87408	87409
LPS	44740	44741	44742	44743	44744	44745	44746	44747	44748	44749	44750	44751	44752	44753	44754	44755	44756	44757	44758	44759
OXY	87480	87481	87482	87483	87484	87485	87486	87487	87488	87489	87490	87491	87492	87493	87494	87495	87496	87497	87498	87499
PLBG	23260	23261	23262	23263	23432	23433	23434	23435	23436	23437	23438	23439	23440	23441	23442	23443	23444	23445	23446	23447
SPK	23627	23628	23629	23630	23631	23632	23633	23634	23635	23636	23637	23638	23639	23640	23641	23642	23643	23644	23645	23646
SPR	87160	87161	87162	87163	87164	87165	87166	87167	87168	87169	87170	87171	87172	87173	87174	87175	87176	87177	87178	87179
STM	23496	23497	23498	23499	23500	23501	23502	23503	23504	23505	23506	23507	23508	23509	23510	23511	23512	23513	23514	23515
VAC	87500	87501	87502	87503	87504	87505	87506	87507	87508	87509	87510	87511	87512	87513	87514	87515	87516	87517	87518	87519

Valve Tags

www.BradyID.com/pipemarkers



B-418 Durable Plastic Tags

- Durable Plastic Tags are lightweight, non-corrosive, non-conductive and impact resistant
- Tag withstands temperatures between -40°F to 260°F
- Rounded corners and hole punched
- Tags are sold individually


Color	3"x1-1/2"	4"x2-1/2"
White	87696	87697
Orange	87694	87695
Red	41924	41925
Yellow	41922	41923
Black	41920	41921
Blue	41926	41927
Brown	87710	87711
Tan	87712	87713
Grey	87698	87699
Green	41928	41929



B-906 Stock Blank Aluminum Tags

- Anodized aluminum is dyed to offer color-coding options not available with brass tags
- Available in twelve colors
- Choose from 1-1/2" or 2" round styles
- Standard package: 25 tags

Color	2" Round	2" Square	1-1/2" Round	1-1/2" Square
Black	87612	87637	87605	87619
Blue	49907	87641	49902	87629
Gold	87608	87633	87601	87615
Green	49908	87642	49903	87630
Light Blue	87613	87638	87606	87620
Natural	49909	87643	49904	87631
Olive Drab	87609	87634	87602	87616
Orange	87611	87636	87604	87618
Pink	87610	87635	87603	87617
Red	49906	87640	49901	87628
Violet	87607	87632	87600	87614
Yellow	49905	87639	49900	87627



B-919 Blank Stainless Steel Tags

- Ideal for harsh environments or where a stainless steel material is specified
- Tag hole is 3/16"

Catalog #	Tag Size	Tag Shape	Qty/Pkg
44400	1-1/2"	Round	25
44401	1-1/2"	Square	25
44402	2"	Round	25
44403	2"	Square	25



Blank Brass Valve Tags (B-907)

- Customizable with Brady steel stamps

Catalog #	Size	Shape	Qty/Pkg
23210	1-1/2"	Round	25
23212	1-1/2"	Square	25
23211	2"	Round	25
23213	2"	Square	25



B-906 Custom Engraved Aluminum Tags

- Durable 19 gauge aluminum tags
- Available in round or square shapes in either 1-1/2" or 2" sizes
- Withstands temperatures of 233° F at a consistent heat.

Size	Color
1-1/2"	Natural or Black Fill
2"	Natural or Black Fill

For special fill colors or quantities over 1000 tags please call your local Distributor for quote and lead time. Or call us toll-free at 1-888-272-3946



B-906 Custom Stamped Aluminum Tags

- Durable 19 gauge aluminum tags
- Available in round or square shapes in either 1-1/2" or 2" sizes.
- Withstands temperatures of 1500° F

Size	Color
1-1/2"	Natural or Black Fill
2"	Natural or Black Fill

For special fill colors or quantities over 1000 tags please call your local Distributor for quote and lead time. Or call us toll-free at 1-888-272-3946



B-906 Brady-Etch™ Aluminum Valve Tags


- Available in four colors: red, yellow, blue and green
- Choose round or square styles in 1-1/2" or 2" sizes

Size	Color
1-1/2"	Natural or Black Fill
2"	Natural or Black Fill

For special fill colors or quantities over 1000 tags please call your local Distributor for quote and lead time. Or call us toll-free at 1-888-272-3946

Valve Tags


www.BradyID.com/pipemarkers



Solid "S" Hooks

- Standard package: 100 "S" Hooks, sold in full packages only

Catalog #	Material	Size	For Valve Stems Up To
23305	Brass	1-3/4" O.D.	1/2"
23304	Brass	1-1/2" O.D.	3/8"
23303	Brass	1-1/4" O.D.	1/4"



#16 Jack Chain

- Approximately 25 links per foot
- Standard package: 50 feet of chain, sold in full packages only

Catalog #	Description	Length
23308	Brass #16	50'
98859	Stainless Steel	50'



4-1/2" Beaded Chain

- Extremely flexible 4 1/2" bead chain with locking link
- Standard package: 100 chains

Catalog #	Description	Length	Qty
23306	Brass #6	4-1/2"	100



Lead Seals

- 12" wires with pre-fitted lead seals fit easily around pipes or valves
- Use with Hand Sealing Press
- Standard package: 250

Catalog #	Description	Qty
23301	Copper Lead Seals	250



Zinc Wire Clamps - Double Ferrule Design

- Use to secure or splice Stainless Steel Wire
- Standard package: 50

Catalog #	Description	Qty
38090	Zinc Wire Clamps	50



Stainless Wire (48 mil)

- Stranded 48 mil stainless steel wire comes in a standard package of a 30' roll.
- For secure attachment, use with Brady's Zinc Clamps

Catalog #	Description	Qty
38091	Stainless Steel Wire (48 mil)	50

NEW!

Create Custom Valve Tags Online

Design your facility's Valve Tags with this easy-to-use design tool. Enter multiple lines of custom text, and choose from a variety of styles, sizes and materials.

- Choose Stamped or Engraved
- Up to 5 Material Choices
- Color and Numbering Options Available

Try the Custom Design Tool at www.BradyID.com!

Easy as 1, 2, 3!

- 1) Select your category
- 2) Customize your product
- 3) Add to your shopping cart



Create custom products in minutes!

Ships in 24-48 hours!



Create custom pipe markers and valve tags online today!

Visit www.BradyID.com to create
custom products in minutes.

USA

Customer Service: 1-888-272-3946

Inside Sales: 1-888-311-0775

www.BradyID.com

Canada

Customer Service: 1-800-263-6179

www.BradyCanada.ca

Mexico

Customer Service: 1-800-262-7777

Inside Sales: 1-800-262-7777 ext 177

www.BradyLatinAmerica.com



WHEN PERFORMANCE MATTERS MOST™