



AMERICAN MADE
SHRINK FIT MACHINES & TOOL HOLDERS



5 FREE TOOL HOLDERS*

WITH THE PURCHASE OF A
ShrinkPRO
SHRINKFIT MACHINE

Changes tool in 2 - 6 seconds • Automatic cooling using shop air
Works great with carbide and high-speed steel tools

SALE: \$12,500

LIST PRICE: \$14,328

WITH THE MACHINE & TOOL HOLDERS THAT'S
OVER \$1,828 IN SAVINGS!


** Choose from CAT and HSK tool holders
listed on the pages below*

Expires July 31, 2026


Part# 00600-M ShrinkPRO

ShrinkFit Holders

2 Extreme Precision Shrinkfit Tools



Style 1




Style 2


CAT 40

SIZE	ITEM NUMBER	C	B	B1	H	THREAD	Style
1/8"	C40A-01SF315-9	3.15"	.39"	.62"	3.15"	-	3*
3/16"	C40A-18SF315-9	3.15"		.72"		-	3*
1/4"	C40A-25SF315-9C	3.15"	.83"	1.06"		M5X.8	1
	C40A-25SF512-9C	5.12"					1
	C40A-25SF630-9C	6.30"					2
5/16"	C40A-31SF315-9C	3.15"			M6X1	1	
3/8"	C40A-38SF315-9C	3.15"	.94"	1.26"	3.15"	M8X1	1
	C40A-38SF512-9C	5.12"					1
	C40A-38SF630-9C	6.30"					2
1/2"	C40A-50SF315-9C	3.15"				M10X1	1
	C40A-50SF512-9C	5.12"					1
	C40A-50SF630-9C	6.30"					2
5/8"	C40A-62SF315-9C	3.15"	1.06"	1.34"	3.15"	M12X1	1
	C40A-62SF512-9C	5.12"					1
	C40A-62SF630-9C	6.30"					2
3/4"	C40A-75SF315-9C	3.15"	1.30"	1.65"		M16X1	1
	C40A-75SF512-9C	5.12"					1
	C40A-75SF630-9C	6.30"					2
1"	C40A-10SF394-9C	3.94"	1.73"	2.09"	3.15"		1
	C40A-10SF512-9C	5.12"					1
	C40A-10SF630-9C	6.30"					2
1 1/4"	C40A-12SF394-9C	3.94"					1

*Style 3:
NoCoolantPorts



Style 1




Style 2

CAT 50


SIZE	ITEM NUMBER	C	B	B1	H	THREAD	Style
1/4"	C50A-25SF315-9C	3.15"	.83"	1.06"	3.15"	M5X.8	1
	C50A-25SF512-9C	5.12"					1
	C50A-25SF630-9C	6.30"					2
5/16"	C50A-31SF315-9C	3.15"	.94"	1.26"	3.15"	M6X1	1
	C50A-31SF512-9C	5.12"					1
	C50A-31SF630-9C	6.30"					2
3/8"	C50A-38SF315-9C	3.15"	1.06"	1.34"	3.15"	M8X1	1
	C50A-38SF512-9C	5.12"					1
	C50A-38SF630-9C	6.30"					2
1/2"	C50A-50SF315-9C	3.15"	1.30"	1.65"	3.15"	M10X1	1
	C50A-50SF512-9C	5.12"					1
	C50A-50SF630-9C	6.30"					2
5/8"	C50A-62SF315-9C	3.15"	1.73"	2.09"	3.15"	M12X1	1
	C50A-62SF512-9C	5.12"					1
	C50A-62SF630-9C	6.30"					2
3/4"	C50A-75SF315-9C	3.15"	1.30"	1.65"	3.15"	M16X1	1
	C50A-75SF512-9C	5.12"					1
	C50A-75SF630-9C	6.30"					2
1"	C50A-10SF394-9C	3.94"	1.73"	2.09"	3.15"	M16X1	1
	C50A-10SF512-9C	5.12"					1
	C50A-10SF630-9C	6.30"					2
1 1/4"	C50A-12SF394-9C	3.94"	1.73"	2.09"	3.15"	M16X1	1
	C50A-12SF512-9C	5.12"					1
	C50A-12SF630-9C	6.30"					2

ShrinkFit Holders

4 Extreme Precision Shrinkfit Tools



Style 1




Style 2


HSK 63A - INCH

SIZE	ITEM NUMBER	C	B	B1	H	THREAD	Style
1/8"	H63A-01SF315-9	3.15"	.39"	.62"		-	3*
3/16"	H63A-18SF315-9	3.15"		.72"		-	3*
1/4"	H63A-25SF315-9C	3.15"	.83"	1.06"	3.15"	M5X.8	1
	H63A-25SF512-9C	5.12"					1
	H63A-25SF630-9C	6.30"					2
5/16"	H63A-31SF315-9C	3.15"				M6X1	1
	H63A-31SF512-9C	5.12"					1
	H63A-31SF630-9C	6.30"					1
3/8"	H63A-38SF335-9C	3.35"	.94"	1.26"	3.15"	M8X1	1
	H63A-38SF512-9C	5.12"					1
	H63A-38SF630-9C	6.30"					2
1/2"	H63A-50SF354-9C	3.54"				M10X1	1
	H63A-50SF512-9C	5.12"					1
	H63A-50SF630-9C	6.30"					2
5/8"	H63A-62SF374-9C	3.74"	1.06"	1.34"	3.15"	M12X1	1
	H63A-62SF512-9C	5.12"					1
	H63A-62SF630-9C	6.30"					2
3/4"	H63A-75SF394-9C	3.94"	1.30"	1.65"	3.15"	M16X1	1
	H63A-75SF512-9C	5.12"					1
	H63A-75SF630-9C	6.30"					2
1"	H63A-10SF453-9C	4.53"	1.73"	2.09"			1
	H63A-10SF630-9C	5.12"					1
1 1/4"	H63A-12SF472-9C	4.72"					1
	H63A-12SF630-9C	6.30"			1		

*Style 3:
NoCoolantPorts



Style 1



Style 2

HSK 63A - METRIC

SIZE	ITEM NUMBER	C	B	B1	H	THREAD	Style		
4 MM	H63A-M04SF80-9	3.15"	.39"	-		-	3*		
6 MM	H63A-M06SF80-9C	3.15"	.83"	1.06"	3.15"	M5X.8	1		
	H63A-M06SF130-9C	5.12"					1		
	H63A-M06SF160-9C	6.30"					2		
8 MM	H63A-M08SF80-9C	3.15"				M6X1	1		
	H63A-M08SF130-9C	5.12"					1		
	H63A-M08SF160-9C	6.30"					2		
10 MM	H63A-M10SF85-9C	3.35"	.94"	1.26"	3.15"	M8X1	1		
	H63A-M10SF130-9C	5.12"					1		
	H63A-M10SF160-9C	6.30"					2		
12 MM	H63A-M12SF90-9C	3.54"				M10X1	1		
	H63A-M12SF130-9C	5.12"					1		
	H63A-M12SF160-9C	6.30"					2		
16 MM	H63A-M16SF95-9C	3.74"	1.06"	1.34"	3.15"	M12X1	1		
	H63A-M16SF130-9C	5.12"					1		
	H63A-M16SF160-9C	6.30"					2		
20 MM	H63A-M20SF100-9C	3.94"				1.30"	1.65"	M16X1	1
	H63A-M20SF130-9C	5.12"							1
	H63A-M20SF160-9C	6.30"							2
25 MM	H63A-M25SF115-9C	4.53"	1.73"	2.09"	3.15"		1		
	H63A-M25SF130-9C	5.12"					1		
32 MM	H63A-M32SF120-9C	4.72"					2		
	H63A-M32SF160-9C	6.30"					1		

*Style 3:
NoCoolantPorts

ShrinkFit Holders

6 Extreme Precision Shrinkfit Tools

SHRINKFIT TOOLS DEVELOPED SPECIFICALLY FOR THE MOST DEMANDING APPLICATIONS IN THE HEAVY MACHINERY AND AEROSPACE INDUSTRIES.



- Coolant supplied directly to the cutting zone drastically improves tool life and chip evacuation.
- Extreme concentricity, 3 Microns.
- Balanced up to 25,000 rpm.
- Available stock in BT, CAT and HSK.

WIDE SELECTION OF COOLANT-PORTED SHRINKFIT HOLDERS




UPGRADE TO SHRINK-LOCKED



SHRINK-LOCKED
WITH FORMULA *TTG 594™*

Shrink-Locked Toolholders eliminate cutting tool pull-out, providing more than **6X** the friction drive force compared to untreated tool holders.

PARLEC SHRINKFIT SYSTEM FEATURES



Not in a catalog? No problem.
We can make it! **FAST!**

Turbo Turn specials use the latest CNC technology to create engineered solutions that go beyond standard tool holding for all types of unique jobs.

- Optimized for your application.
- Dedicated "Turbo Turn" CNC cells.
- Ultra fast quoting & production.
- Short lead times.
- Competitive pricing.